



ventairtm

ULTIMATE
AIR EXTRACTION

AIRBUS
TOTAL EXHAUST SOLUTION
EXHAUST FANS



AIRBUS
TOTAL EXHAUST SOLUTION

ULTIMATE
AIR EXTRACTION

AIRBUS
TOTAL EXHAUST SOLUTION
EXHAUST FANS

Engineered from the ground up.


Ventair's AIRBUS Exhaust System has raised the standards for air movement in homes all around Australia. With four performance levels and a wide range of stylish fascia's, the AIRBUS range is Australia's most comprehensive range of domestic exhaust fans.

The AIRBUS was designed from the ground up to suit the modern Australian home. Engineered to deliver maximum performance, efficiency and durability, the AIRBUS range is the best solution to keep your home healthy and mould free.



Healthy Home, Healthy Life.

Having fresh airflow and regular air changes is vitally important for maintaining a healthy living environment. Steam build up can cause mould and mildew that can cause damage to fixtures and create an unhealthy living environment.



AIRBUS

TOTAL EXHAUST SOLUTION

DESIGNED TO PERFORM.


From simple healthy ventilation to fast removal of heavy steam, the *AIRBUS* range has been designed for any ventilation requirement.

PVPX200

PVPX225

PVPX250

PVPX300





EASY INSTALL.

Combining plug and lead with standard cut out sizes, quick connect fascias and LED options makes installation easier than ever.



MULTI STORY APPLICATION.

Low installation depth, side ducted design makes installing in tight spots possible.



NO MORE DRAFTS.

Gravity assisted draft stopper saves energy when heating or cooling your home.



ENERGY SAVING LIGHT.

Choose from the wide range of LED light fascia options to illuminate your room.



DESIGNED TO LAST.

Powerful, long life and maintenance free motor.



FIVE YEAR WARRANTY.

An extended warranty backs up the AIRBUS's impressive list of features.

AIRBUS

TOTAL EXHAUST SOLUTION


WHICH EXHAUST DO I NEED?

Air Change Rates as recommended by Ventair

In order for you to select the correct extractor fan for your room, it is important to know how much air you will need to move. Below is a guide to the recommended air change rates for most applications:

RESIDENTIAL PREMISES	ROOM TYPE	RECOMMENDED AIR CHANGES
	Kitchen	6-8
	Bathroom	10-12
	Large Bathroom	8-10
	Toilet/Powder Room	8-10
	Laundry	7
	Living Areas	1.5
	Garage	2

Example Bathroom



1: Calculate your room volume:

Length x Width x Height = Volume

Eg. $3 \times 4 \times 2.5 = 30\text{m}^3$

2: Calculate your required air movement:

Volume x Recommended Air Changes


Example: $30\text{m}^3 \times 8 = 240\text{m}^3$ per hour

PVPX225 = OK without ducting.

PVPX250 = OK with up to 6m ducting.

PVPX300 = OK with over 6m ducting.

DESIGNED TO PERFORM




MODEL	NAME	AIR DELIVERY	GRILLE SIZE	CUTOUT	NOISE	OUTLET SIZE	MOTOR POWER
PVPX200	AIRBUS 200	152m³H	272MM	240MM	38dB(A)	100mm	30W
PVPX225	AIRBUS 225	240m³H	328MM	296MM	40dB(A)	150mm	38W
PVPX250	AIRBUS 250	328m³H	328MM	296MM	42dB(A)	150mm	50W
PVPX300	AIRBUS 300	550m³H	328mm	296mm	42dB(A)	150mm	106W



WHY VENTAIR?

All airflow data provided by Ventair is strictly gathered in accordance with international standards. Our products speak for themselves without exaggeration or misleading data.



MODEL	A	B	C	D
PVPX200	Ø240mm	272mm	Ø100mm	170mm
PVPX225	Ø296mm	328mm	Ø150mm	197mm
PVPX250	Ø296mm	328mm	Ø150mm	197mm
PVPX300	Ø296mm	328mm	Ø150mm	195mm

AIRBUS

TOTAL EXHAUST SOLUTION

Buy the motor you need
then select the style of
fascia you desire!

Alternatively, make life
easier by selecting from
one of our bundled Airbus
ventilation kits.



PVPX200 •

Moderate Air Extraction

Ideal for Laundries, Toilets & Powder Rooms.



PVPX225 •

High Level Air Extraction

Ideal for Laundries & Bathrooms

Bundles

PVPX200WH	White Round Fascia
PVPX200WHSQ	White Square Fascia
PVPX200WH-LED	White Round Fascia with LED Light White Square
PVPX200WHSQ-LED	Fascia with LED Light
PVPX200SS	Silver Round Fascia
PVPX200SSSQ	Silver Square Fascia
PVPX200SS-LED	Silver Round Fascia with LED Light Silver Square
PVPX200SSSQ-LED	Fascia with LED Light



PVPX250 ●

Higher Level Air Extraction

Ideal for Bathrooms & High Steam Areas



PVPX300 ●

Ultra-High Air Extraction

Ideal for High airflow requirements & high steam areas.



More...

Visit www.ventair.com.au

for more premium **AIRBUS** products!

Bundles

PVPX250WH	White Round Fascia
PVPX250WHSQ	White Square Fascia
PVPX250WH-LED	White Round Fascia with LED Light White Square
PVPX250WHSQ-LED	Fascia with LED Light
PVPX250SS	Silver Round Fascia
PVPX250SSSQ	Silver Square Fascia
PVPX250SS-LED	Silver Round Fascia with LED Light Silver Square
PVPX250SSSQ-LED	Fascia with LED Light

Bundles

PVPX300WH	White Round Fascia
PVPX300WHSQ	White Square Fascia

New Modern Fascia

Minimalist style designed to make cleaning easy and optimise airflow.

AIRBUS

TOTAL EXHAUST SOLUTION



- **ABG200WH-RD** White Round Fascia IPX4
- **ABG200SS-RD** Silver Round Fascia IPX4
- **ABG200BL-RD** Black Round Fascia IPX4
- **ABG200WH-SQ** White Square Fascia IPX4
- **ABG200SS-SQ** Silver Square Fascia IPX4
- **ABG200BL-SQ** Black Square Fascia IPX4
- **ABGLED200WH-RD** White Round Fascia **with LED Light** IP44
- **ABGLED200SS-RD** Silver Round Fascia **with LED Light** IP44
- **ABGLED200BL-RD** Black Round Fascia **with LED Light** IP44
- **ABGLED200WH-SQ** White Square Fascia **with LED Light** IP44
- **ABGLED200SS-SQ** Silver Square Fascia **with LED Light** IP44
- **ABGLED200BL-SQ** Black Square Fascia **with LED Light** IP44

- ● **ABG250WH-RD** White Round Fascia IPX4
- ● **ABG250SS-RD** Silver Round Fascia IPX4
- ● **ABG250BL-RD** Black Round Fascia IPX4
- ● **ABG250WH-SQ** White Square Fascia IPX4
- ● **ABG250SS-SQ** Silver Square Fascia IPX4
- ● **ABG250BL-SQ** Black Square Fascia IPX4
- ● **ABGLED250WH-RD** White Round Fascia **with LED Light** IP44
- ● **ABGLED250SS-RD** Silver Round Fascia **with LED Light** IP44
- ● **ABGLED250BL-RD** Black Round Fascia **with LED Light** IP44
- ● **ABGLED250WH-SQ** White Square Fascia **with LED Light** IP44
- ● **ABGLED250SS-SQ** Silver Square Fascia **with LED Light** IP44
- ● **ABGLED250BL-SQ** Black Square Fascia **with LED Light** IP44

MOTION SENSOR.

No problems turning the fan or light on when your hands are full. Automatically turns off with an adjustable 1-20 minute timer.

● ● ● ● **VTMSENSOR**

TIMER.

Ensure the steam or odours are removed. A 1-25 minute adjustable timer will keep your fan running once you've left the room.

● ● ● ● **VTROTIMER**

VENT.

The premium exterior aluminium vent with duct adaptor fits standard brick sizes. Keep your home healthy by removing the humidity and odours in the air.

● ● ● **V150PALG**

- **VAD100** Ø100mm x 3m Aluminium Ducting
- ● ● **VAD150-3** Ø150mm x 3m Aluminium Ducting
- ● ● **VAD150** Ø150mm x 6m Aluminium Ducting
- **V100DKIT** Ø100mm x 3m Aluminium Ducting with Fixed Exterior Grille
- ● ● **V150DKIT** Ø150mm x 6m Aluminium Ducting with Fixed Exterior Grille
- **V100FG** Ø150mm Air Inlet/Outlet Grille
- ● ● **V150FG** Ø150mm Air Inlet/Outlet Grille
- **V100GS** Ø100mm Air Outlet with Gravity Shutters
- ● ● **V150GS** Ø150mm Air Outlet with Gravity Shutters
- ● ● **V150Y** Ø150mm "Y" Duct Connector
- ● ● ● **VDA100-150** Ø100mm to Ø150mm Duct Adaptor

AIRBUS

TOTAL EXHAUST SOLUTION



THE AIR MOVEMENT SPECIALISTS



+61 3 9775 0556
+61 3 9775 0775
sales@ventair.com.au

4 Capital Place, Carrum Downs Vic 3201

WHOLLY AUSTRALIAN OWNED COMPANY

Visit www.ventair.com.au for your closest supplier



NEW GENERATION CEILING FANS



ventairtm

THE AIR MOVEMENT SPECIALISTS

SUMMER COOLING

SPYDA

THE CEILING FAN REVOLUTION



Durable corrosion proof components and UV protection allows the Spyda to be safely used for Indoor/Covered Outdoor and coastal areas.



True Spin Technology™ is the latest development in engineering that allows quality and performance to work together in one great looking ceiling fan.



Highest quality Japanese bearings create a smooth running long life fan that is guaranteed to give years of trouble free operation.



Precision moulded PC blades have been designed for superior balanced performance.



Aerodynamic blades combined with True Spin Technology™ produces increased air circulation and has reversible airflow function.



Installation friendly quick connect wiring and quick fix assembly.



ECO Switch Setting. A pre-selected speed setting allows the fan to run at a reduced running cost while maintaining adequate air circulation.

NOW AVAILABLE IN THREE SIZES: 900MM, 1250MM & 1400MM

Model	Name	Sweep Size	Fan Drop	Blade Count	Blade Material	Motor Watt	Blade Pitch	Remote Adaptable	Speed H/M/L (RPM)	Max Airflow (m³/H)
SPY903WH/TI/BL	Spyda	900mm	330mm	3	PC	60/24/16w	High (Curved)	SPYRFRDIM	280/210/150	5,700
SPY1253WH/TI/BL	Spyda	1250mm	330mm	3	PC	55/34/14w	High (Curved)	SPYRFRDIM	230/170/107	12,600
SPY1403WH/TI/BL	Spyda	1400mm	330mm	3	PC	68/40/20w	High (Curved)	SPYRFRDIM	230/175/115	13,320



SPYDA Remote



Model	Description
SPYRFRDIM	Three speed radio frequency remote control kit with four step dimmable light function. Quick connect wiring.

SPYDA J-Hook



Model	Description
SPYJHWH	Satin White J-Hook hanging pack
SPYJHTI	Titanium J-Hook hanging pack
SPYJHBL	Matte Black J-Hook hanging pack

SPYDA LED Light Kit



FOUR STEP LIGHT DIMMING

100% 75% 50% 25%

Model	Description
SPYLKWH	Satin White 20w LED Dimmable Light 1600Lm 4200K Natural White
SPYLKTI	Titanium 20w LED Dimmable Light 1600Lm 4200K Natural White
SPYLKBL	Matte Black 20w LED Dimmable Light 1600Lm 4200K Natural White
SPYLKWH-WW	Satin White 20w LED Dimmable Light 1600Lm 3000K Warm White
SPYLKTI-WW	Titanium 20w LED Dimmable Light 1600Lm 3000K Warm White
SPYLKBL-WW	Matte Black 20w LED Dimmable Light 1600Lm 3000K Warm White

SPYDA Extension Rod



Model	Description
SPYEXTR45WH	Satin White 450mm with quick connect wiring loom included
SPYEXTR45TI	Titanium 450mm with quick connect wiring loom included
SPYEXTR45BL	Matte Black 450mm with quick connect wiring loom included
SPYEXTR90WH	Satin White 900mm with quick connect wiring loom included
SPYEXTR90TI	Titanium 900mm with quick connect wiring loom included
SPYEXTR90BL	Matte Black 900mm with quick connect wiring loom included



NEW PRODUCT!



Symphony

1420MM NEW GENERATION CEILING FAN WITH BLUETOOTH® SPEAKER

- Premium quality integrated Bluetooth® speaker.
- Ideal for entertaining areas and bedrooms.
- Stream music from your smartphone or computer.
- Premium long life motor and components.
- Uniquely designed ABS fan blades.
- Reversible airflow option for summer or winter.
- Four speed LED IR remote control with 1-6 hour timer included.

Model	Name	Colour	Sweep Size	Blade Count	Blade Material	Motor Watt	Remote Control	Speed High to Low (RPM)
SYM1405WH/BL	Symphony	White/Black	1420mm	5	ABS	95w	Included	223/196/153/110



Malibu IP55



ALL WEATHER
DESIGNED FOR THE
OUTDOORS

1320MM NEW GENERATION OUTDOOR CEILING FAN

- IP55 Dust and Water protection rating.
- Engineered for large area air circulation.
- Up to 50% more air circulation than timber blade fans.
- Designed specifically for outdoor and coastal applications.
- Pre-balanced for smoother, quieter operation.
- Four durable ABS moulded blades.
- Premium long life motor and components.
- Reversible airflow option for summer or winter.
- Quick connect wiring and fittings for easy install.

Model	Name	Colour	Sweep Size	Blade Count	Blade Material	Motor Watt	Max Airflow	Remote Adaptable	Speed H/M/L (RPM)
MAL1404WH/TI	Malibu IP55	White/Titanium	1320mm	4	ABS	100w	13,720m ³ /hr	NGCFRC or UCFR	255/161/104

NEW PRODUCT!



Stealth II

1370MM NEW GENERATION DESIGNER CEILING FAN

- New modern slimline design.
- Suitable for indoor/covered outdoor use.
- Quick connect wiring and fittings for easy install.
- Premium long life ball bearing motor.
- ABS Timber look blades.

Model	Name	Colour	Sweep Size	Blade Count	Blade Material	Motor Watt	Remote Adaptable	Speed H/M/L (RPM)
STE1353LO/WN	Stealth II	Light Oak/Walnut	1370mm	3	ABS	75w	NGCFRC or UCFR	210/150/102



Stealth

1400MM NEW GENERATION DESIGNER CEILING FAN

- Sleek contemporary design with three ABS blades.
- Suitable for indoor/covered outdoor use.
- Quick connect wiring and fittings for easy install.
- Three speed LCD remote control included.
- Reversible function conveniently located on the remote.

Model	Name	Colour	Sweep Size	Blade Count	Blade Material	Motor Watt	Remote Control	Speed H/M/L (RPM)
DKS1403WH/GM	Stealth	White/Gun Metal	1400mm	3	ABS	100w	Included	186/140/86



Eon

1400MM NEW GENERATION DESIGNER CEILING FAN

- Unique premium PC blade design.
- Suitable for indoor/covered outdoor use.
- Three speed LCD remote control included.
- Ideal for high ceilings and large area coverage.
- Reversible function conveniently located on the remote.
- Quick connect wiring and fittings for easy install.

Model	Name	Colour	Sweep Size	Blade Count	Blade Material	Motor Watt	Remote Control	Speed H/M/L (RPM)
DKE1403WH/GM/R	Eon	White/Gun Metal/Red	1400mm	3	PC	100w	Included	169/124/79



V6

1400MM NEW GENERATION DESIGNER CEILING FAN

- Unique dual level six blade design.
- Suitable for indoor/covered outdoor use.
- Three speed LCD remote control included.
- Ideal for high ceiling and large area coverage.
- Quick connect wiring and fittings for easy install.
- Reversible function conveniently located on the remote.

Model	Name	Colour	Sweep Size	Blade Count	Blade Material	Motor Watt	Remote Control	Speed H/M/L (RPM)
DKV1406WH/GM	V6	White/Gun Metal	1400mm	6	ABS	100w	Included	228/136/81



R8

1400MM NEW GENERATION DESIGNER CEILING FAN

- High airflow five blade design.
- Suitable for indoor/covered outdoor use.
- Three speed LCD remote control included.
- Ideal for high ceiling and large area coverage.
- Reversible function conveniently located on the remote.
- Quick connect wiring and fittings for easy install.

Model	Name	Colour	Sweep Size	Blade Count	Blade Material	Motor Watt	Remote Control
DKR81405WH/GM	R8	White/Gun Metal	1400mm	5	ABS	100w	Included



NEW PRODUCT!



Roma

1400MM NEW GENERATION DESIGNER CEILING FAN

- Ultra modern five blade designer look.
- Suitable for indoor and covered outdoor areas.
- Quick connect wiring and fittings for easy install.
- Reversible airflow option for summer or winter.

Model	Name	Colour	Sweep Size	Blade Count	Blade Material	Motor Watt	Remote Adaptable	Speed H/M/L (RPM)
ROM1405WH/BL	Roma	White/Black	1400mm	5	ABS	95w	NGCFRC or UCFR	195/138/82



Harmony II

1220MM NEW GENERATION DESIGNER CEILING FAN

- Latest ceiling fan technology and design.
- Excellent air circulation and cooling effect.
- Pre-balanced for smoother, quieter operation.
- High Quality 18W Replaceable LED Light option.
- Four precision moulded ABS blades.
- Premium long life motor and components.
- Reversible airflow option for summer or winter.
- Quick connect wiring and fittings for easy install.

Model	Name	Colour	Sweep Size	Blade Count	Blade Material	Motor Watt	Max Airflow	Remote Adaptable	Speed H/M/L (RPM)	Light Output
HAR1204WH/TI	Harmony II	White/Titanium	1220mm	4	ABS	75w	10,560m³/hr	NGCFRC or UCFR	239/174/125	NA
HAR1204WH-L/TI-L	Harmony II	White/Titanium	1220mm	4	ABS	75w	10,560m³/hr	NGCFRC or UCFR	239/174/125	1500Lm (4000K)



NEW COLOURS!
Light Oak / Walnut



Royale II

1320MM NEW GENERATION DESIGNER CEILING FAN

- Latest ceiling fan technology and design.
- Excellent air circulation and cooling effect.
- Pre-balanced for smoother, quieter operation.
- High Quality 18W Replaceable LED Light option
- Four precision moulded ABS blades.
- Premium long life motor and components.
- Reversible airflow option for summer or winter.
- Quick connect wiring and fittings for easy install.

Model	Name	Colour	Sweep Size	Blade Count	Blade Material	Motor Watt	Remote Adaptable	Speed H/M/L (RPM)	Max Air Flow (m ³ /h)	Light Output
ROY1304WH/TI	Royale II	White/Titanium	1320mm	4	ABS	75w	NGCFRC or UFRFC	210/150/102	13,120	NA
ROY1304LO/WN	Royale II	Light Oak/Walnut	1320mm	4	ABS	75w	NGCFRC or UFRFC	210/150/102	13,120	NA
ROY1304WH-LI-TI-L	Royale II	White/Titanium	1320mm	4	ABS	75w	NGCFRC or UFRFC	210/150/102	13,120	1500Lm (4000K)



Mariah

1320MM NEW GENERATION DESIGNER CEILING FAN

- Latest ceiling fan technology and design.
- Excellent air circulation and cooling effect.
- Pre-balanced for smoother, quieter operation.
- High Quality 18W Replaceable LED Light option.
- Five precision moulded ABS blades.
- Premium long life motor and components.
- Reversible airflow option for summer or winter.
- Quick connect wiring and fittings for easy install.

Model	Name	Colour	Sweep Size	Blade Count	Blade Material	Motor Watt	Remote Adaptable	Speed H/M/L (RPM)	Max Air Flow (m ³ /h)	Light Output
MAR1305WH/TI	Mariah	White/Titanium	1320mm	5	ABS	75w	NGCFRC or UCFR	240/165/110	11,880	NA
MAR1305WH-L/TI-L	Mariah	White/Titanium	1320mm	5	ABS	75w	NGCFRC or UCFR	240/165/110	11,880	1500Lm (4000K)



NEW PRODUCT!



Bullet

1220MM NEW GENERATION CEILING FAN

- Latest ceiling fan technology and design.
- Suitable for indoor/covered outdoor applications.
- Light option available.
- Pre-balanced for smoother, quieter operation.
- Three precision moulded ABS blades.
- Premium long life motor and components.
- Reversible airflow option for summer or winter.
- Quick connect wiring and fittings for easy install.

Model	Name	Colour	Sweep Size	Blade Count	Blade Material	Motor Watt	Remote Adaptable	Speed H/M/L (RPM)	Light Type
BUL1203WH/TI	BULLET	White/Titanium	1220mm	3	ABS	45w	NGCFRC or UCFR	210/155/102	NA
BUL1203WH-L/TI-L	BULLET	White/Titanium	1220mm	3	ABS	45w	NGCFRC or UCFR	210/155/102	1 x B22



NEW PRODUCT!



DC Fans will use approximately
50-75% LESS POWER
than a comparable AC fan with
similar performance levels.

Washington DC

1400MM NEW GENERATION DC CEILING FAN

- Latest in Energy Saving DC ceiling fan technology.
- Suitable for indoor and covered outdoor applications.
- Five speed RF Remote control with timer included.
- 50% more airflow than traditional timber blade fans.
- Pre-balanced for smoother, quieter performance.
- Three precision moulded timber style ABS blades.
- Reversible function conveniently located on the remote.
- Quick connect wiring and fittings for easy install.

Model	Name	Colour	Sweep Size	Blade Count	Blade Material	Motor Watt	Speed H to L (RPM)	Remote Control
WAS1403LO-DC/WN-DC	Washington DC	Light Oak/Walnut	1400mm	3	ABS	5w to 38w	264/235/201/149/102	Included



NEW PRODUCT!



DC Fans will use approximately
50-75% LESS POWER
than a comparable AC fan with
similar performance levels.



Seattle DC

1400MM NEW GENERATION DC CEILING FAN

- Latest in Energy Saving DC ceiling fan technology.
- Suitable for indoor and covered outdoor applications.
- Five speed RF Remote control with timer included.
- 50% more airflow than traditional timber blade fans.
- Pre-balanced for smoother, quieter performance.
- Three precision moulded timber style ABS blades.
- Reversible function conveniently located on the remote.
- Quick connect wiring and fittings for easy install.

Model	Name	Colour	Sweep Size	Blade Count	Blade Material	Motor Watt	Speed H to L (RPM)	Remote Control
SEA1403LO-DC/WN-DC	Seattle DC	Light Oak/Walnut	1400mm	3	ABS	5w to 38w	206/186/161/120/86	Included



NEW PRODUCT!



Royale DC

DC Fans will use approximately
50-75% LESS POWER
than a comparable AC fan with
similar performance levels.

1320MM NEW GENERATION DC CEILING FAN

- Latest in Energy Saving DC ceiling fan technology.
- Suitable for indoor and covered outdoor applications.
- Five speed RF Remote control with timer included.
- 50% more airflow than traditional timber blade fans.
- Pre-balanced for smoother, quieter performance.
- Four precision moulded ABS blades.
- Reversible function conveniently located on the remote.
- Quick connect wiring and fittings for easy install.

Model	Name	Colour	Sweep Size	Blade Count	Blade Material	Motor Watt	Remote Control	Light Output
ROY1304WH-DC	Royale DC	White/Titanium	1320mm	4	ABS	4w to 33w	Included	NA
ROY1304WHL-DC	Royale DC	White/Titanium	1320mm	4	ABS	4w to 33w	Included	1500Lm (4000K)



Lotus DC

1350MM NEW GENERATION
SOLID TIMBER BLADE CEILING FAN

- Energy saving DC Technology.
- Premium long life ball bearing motor.
- Quality six speed LCD remote control.
- Handcrafted solid timber blades.
- Quick connect wiring makes installation easy.
- Reversible control conveniently located on remote.
- Available in White, Silver with dark timber blades, or Oil rubbed bronze with light timber blades.

Model	Name	Sweep Size	Blade Count	Blade Material	Motor Watt	Remote Control	Speed H/M/L (RPM)	Max Air Flow (m ³ /h)
LOT135DC3WH/SI/ORB	Lotus DC	1350mm	3	Solid Timber	40w	Included	190/160/130/100/70/40	8,470



Ashton

1300MM MODERN STYLE CEILING FAN

- Premium long life ball bearing motor.
- Energy saving 18w LED light option.
- Designed for smooth running.
- Precision moulded ABS blades for better balance.
- Three speed wall controller included.
- Quick connect wiring makes installation easy.

Model	Name	Colour	Sweep Size	Blade Count	Blade Material	Motor Watt	Remote Adaptable	Speed H/M/L (RPM)	Max Air Flow (m ³ /h)	Light Output
ASH1303WH	Ashton	White	1300mm	3	ABS	60w	NGCFRC or UCFR	130/95/60	8,359	NA
ASH1303WH-LED/BL-LED	Ashton LED	White/Black	1300mm	3	ABS	60w	NGCFRC or UCFR	130/95/60	8,359	1500Lm (3000K)

NEW PRODUCT!



Euro

NEW GENERATION DESIGNER OSCILLATING CEILING FAN

- Space saving compact design.
- Multidirectional tilt adjustable head.
- Oscillating function allows for large area coverage.
- Low mount close to walls or corners.
- Three speed IR Remote with timer included.
- Quick connect wiring makes installation easy.

Model	Name	Colour	Sweep Size	Blade Count	Blade Material	Motor Watt	Remote Control	Speed H/M/L (RPM)	Max Air Flow (m ³ /h)
EURO403WH/BL/R/Y	Euro	White/Black/Red/Yellow	407mm	3	ABS	55w	Included	190/160/130/100/70/40	8,470

NEW PRODUCT!



Havana

FIVE LEAF BLADE 1320MM CEILING FAN

- Excellent air circulation and cooling effect.
- Suitable for indoor and covered outdoor applications.
- Five precision moulded ABS blades.
- Reversible airflow option for summer or winter.
- Quick connect wiring and fittings for easy install.
- Remote control adaptable.

Model	Name	Sweep Size	Blade Count	Blade Material	Motor Watt	Remote Control
HAV1305WH/BZ	Havana	1320mm	5	ABS	95w	Adaptable



**316 STAINLESS STEEL
MARINE GRADE**



National



1320MM HIGH PERFORMANCE OUTDOOR FAN

- Full 316 Marine Grade Stainless Steel construction.
- Excellent air movement and cooling effect.
- Ideal for covered outdoor and coastal regions.
- Premium long life ball bearing motor.
- Reversible airflow option for summer or winter.
- Easy install with quick connect wiring and quick fix blades.

Model	Name	Sweep Size	Blade Count	Blade Material	Motor Watt	Remote Adaptable	Speed H/M/L (RPM)
Z524EXTSS	National	1320mm	4	316 Stainless Steel	85w	VRFR or VRFLCD	210/145/90

Light Kits




Model	Description
VCFLED-WW	Universal 18w LED Fan Light, Warm White 3000k, 1650Lm (10mm Standard thread)
VCFLED-NW	Universal 18w LED Fan Light, Neutral White 4000k, 1650Lm (10mm Standard thread)



Model	Description
VCLW	180mm White Clipper Light with 1 x B22 lamp holders
VCLS	180mm Silver Clipper Light with 1 x B22 lamp holders
VOLS	210mm Silver Oyster Light with 1 x E27 lamp holders



Model	Description
OLWHO-LED	White 18w LED 4200k 1600Lm
OLBCO-LED	Silver 18w LED 4200k, 1600Lm
OLWHO	White with 2 x B22 lamp holders
OLBCO	Silver with 2 x B22 lamp holders
OLBC0316	316 SS with 2 x B22 lamp holders



Model	Description
NGLEDWW	Replacement 18w LED Light Panel , 1500Lm, WW 3000K suits Harmony II, Royale II, Mariah & Royale II DC Fans with light
NGLEDNW	Replacement 18w LED Light Panel , 1500Lm, NW 4000K suits Harmony II, Royale II, Mariah & Royale II DC Fans with light
NGLEDNCW	Replacement 18w LED Light Panel , 1500Lm, CW 5000K suits Harmony II, Royale II, Mariah & Royale II DC Fans with light

Remote Controls



Model	Description
UCFR	Universal 3 speed Remote Control to suit New Generation and Traditional Ceiling Fans.




Model	Description
NGCFRC	Premium 3 Speed Radio Frequency Remote Control Kit with timer function. Suits Ventair New Generation Ceiling Fans.



Model	Description
VRFR / VRFLCD	3 speed Radio Frequency Remote Control kit suits most Ventair Traditional Fans with the prefix VCF or Z52. Optional with LCD screen or without.



Model	Description
IQCANOPYCHR	Chrome Canopy for Pitched Ceiling to suit R8, V6, Stealth & Eon Ceiling Fans
NGCANOPYBL	Black Canopy required for pitched ceilings or extension rods to suit Washington DC, Seattle DC and Stealth II Ceiling fans.



Extension Rods



Ceiling fan extension rods for various models.
All extension rods come with **quick connect wiring loom**.

Model	Description
VEXRW/S	900mm White/Silver to suit most Ventair Traditional Ceiling Fans
VEXRS316900	900mm 316 Stainless Steel to suit the National
R8EXRCH-V2	900mm Chrome to suit R8
STEALTHXRCH	900mm Chrome to suit STEALTH
V6E0NEXRCH	900mm Chrome to suit V6 and EON
ASHEXT90WH/BL	900mm to suit ASHTON White/Black
LOTEXT90SI/ORB	900mm to suit LOTUS Silver/Oil Rubbed Bronze
MARXR90-WH/TI/BL	900mm to suit MARIAH and BULLET White/Titanium/Black
HRMXR90-WH/TI/BL	900mm to suit HARMONY II , ROYALE II and MALIBU IP55 White/Titanium/Black
HRMXR90-WH-DC	900mm to suit ROYALE II DC White
SEAWASXR90-BL	900mm to suit WASHINGTON DC , SEATTLE DC and STEALTH II Black
ROMXR90-WH/BL	900mm to suit ROMA White/Black
SYMXR90-WH/BL	900mm to suit SYMPHONY White/Black



Zephyr II

WALL MOUNTED COOLING FAN

- Wall mounted three speed cooling fan.
- Oscillating and tilt adjustable head helps cool the whole room.
- AC Plug and lead makes installing easy.
- 0.5hr-7.5hr Timer (Remote model only).
- Wind/Breeze/Sleep Mode (Remote model only).

Model	Name	Control	Colour	Fan Size	Grille Size	Motor Wattage	Speed H/M/L (RPM)	Ball Bearing
ZEP40PC	Zephyr PC	Pull Cord	White	400mm	450mm	65w	1300/1150/950	Sleeve Bearing
ZEP40R	Zephyr R	Remote Control	White	400mm	450mm	65w	1300/1150/950	Sleeve Bearing




Orbital

450MM HEAVY DUTY CEILING MOUNT FAN

- 360 degree orbital motion for maximum cooling.
- High airflow, low noise.
- New anti-vibration patented blade design.
- Ideal for warmer climate area.
- Three speed settings.
- Wall switch included.

Model	Name	Control	Colour	Fan Size	Grille Size	Motor Wattage	Speed H/M/L (RPM)	Ball Bearing
ORB45	Orbital	Wall Control	White	450mm	515mm	160w	1400/1200/900	Ball Bearing




Pedestal

450 & 750MM COMMERCIAL GRADE PEDESTAL COOLING FAN

- Oscillating and tilt adjustable head.
- High airflow, low noise.
- New anti-vibration patented blade design.
- Three speed settings.
- Adjustable head height.
- Heavy duty metal base.

Model	Name	Colour	Fan Size	Grille Size	Max Height	Motor Wattage	Speed H/M/L (RPM)	Ball Bearing
PED45	PEDESTAL 45	Black	450mm	515mm	1500mm	160w	1400/1250/1100/900	Ball Bearing
PED75	PEDESTAL 75	Black	750mm	810mm	1700mm	280w	1400/1270/1150	Ball Bearing





Wall

450 & 750MM COMMERCIAL GRADE WALL FAN

- Oscillating and tilt adjustable head.
- High airflow, low noise.
- New anti-vibration patented blade design.
- Three speed settings.
- Bracket & screws included.

Model	Name	Control	Colour	Fan Size	Grille Size	Motor Wattage	Speed H/M/L (RPM)	Ball Bearing
WAL45	Wall 45	Pull Cord	Black	450mm	515mm	160w	1400/1300/1100	Ball Bearing
WAL75	Wall 75	3 Speed Switch	Black	750mm	810mm	280w	1400/1270/1150	Ball Bearing

ventairtm

THE AIR MOVEMENT SPECIALISTS



www.ventair.com.au

Phone: +61 3 9775 0556

Fax: +61 3 9775 0775

4 Capital Place, Carrum Downs
Vic 3201 Australia



ventairtm


THE AIR MOVEMENT SPECIALISTS

HEAT AND VENTILATION



VENTAIR MAKES THE CHOICE EASY

Ventair Pty Ltd is committed to providing the industry with accurate and effective heating and air movement solutions.



All new Ventair products have a quick reference guide to make selecting the right product easier than ever.

Adding duct will proportionally reduce the airflow of an exhaust fan. Keep the duct length as short and straight as possible to help maximise the airflow.

For more detailed airflow data and technical specifications, please see the product data sheet at www.ventair.com.au

WHAT'S THE DEAL WITH THE HEAT?

Having warmth in the bathroom not only feels great but also helps to minimise damaging steam and moisture build up.

Whether choosing traditional radiant style heating or the exciting new fan forced heating feature of the recently released SAHARA models, Ventair is sure to have a product for every bathroom application.

SAHARA



Fan Heat



AIRBUS



Radiant Heat




LIGHTING UP YOUR BATHROOM


We are making a conscious effort to transform and update all of our lights to high quality LED. We are currently in the process of updating all models. This means that our lighting is better for the environment and better on your power bills.

STEAM BUILD UP

A common misconception is that a small bathroom only needs a small exhaust system.

During colder months where steam production is at its highest, a small bathroom can actually fill up with steam much faster than a large bathroom. Using heating and a good quality exhaust system is essential to help minimise this effect.






NEW PRODUCT!



Sahara


3-IN-1 BATHROOM UNIT

- Ultra modern, high performance bathroom unit with integrated fan heat, LED light and exhaust function
- Ultra slim modern design
- Fan forced heat creates a beautiful and healthy environment
- High air extraction ideal for control of steam and moisture
- Premium LED light panel with high lumen output





Dimensions



A B C D E F G

192mm 165mm 120mm 370mm 537mm 500mm 340mm



Ventair is leading the Industry by ensuring all airflow data is gathered in accordance with International industry standards.

Model	Colour	Grille Size	Exhaust Power	Air Delivery	Fan Heat (L/H)	Light	Rec. Min. Install depth	Cutout
SAH31BL	Matte Black	537 x 370mm	50w	380m ³ /h	1200/2000w	1 x 20w LED	220mm	528 x 345mm
SAH31WH	White	537 x 370mm	50w	380m ³ /h	1200/2000w	1 x 20w LED	220mm	528 x 345mm

PRO-V

by ventair™



AIRBUS

TOTAL EXHAUST SOLUTION

3-IN-1 Bathroom Unit

Premium quality high performance bathroom unit with integrated heat, light and exhaust functions.




- New slimline modern design
- Engineered to perform
- High volume extraction exhaust
- Energy saving slimline LED light
- High efficiency low glare carbon filament radiant heat
- 5 year warranty with 2 year in-home service period

PRO-V

by ventair[™]




Maintains Pressure with Ducting



Designed to work on longer duct runs.


Dimensions



Ventair is leading the Industry by ensuring all airflow data is gathered in accordance with International industry standards.

Model	Colour	Grille Size	Exhaust Power	Air Delivery	Noise	Heat	Light	Rec. Min. install depth	Cutout
PVP31HLXWH	White	530 x 360mm	65w	330m³/h*	45dB(A)	2 x 600w	1 x 18w LED	220mm	505 x 330mm
PVP31HLXS	Silver	530 x 360mm	65w	330m³/h*	45dB(A)	2 x 600w	1 x 18w LED	220mm	505 x 330mm

HIGH AIRFLOW



Backdraft stopper included



Steampro

HIGH AIRFLOW HEAT, LIGHT & EXHAUST

- Powerful axial fan designed for rapid removal of steam
- Two colour options: Interchangeable white or silver air vents included
- Instant infrared heat globes
- Long life ball bearing motor
- Round cutout for easy install
- Thermal switch safety feature
- 3 year warranty with 2 year in-home service period



Model	Colour	Grille Size	Exhaust Power	Air Delivery	Noise	Heat	Light	Rec. Min. Install depth	Cutout
STE31HLX	White/Silver	Ø420mm	48w	HIGH*	55dB(A)	3 x 275w	1 x 6w LED	320mm	Ø380mm

*For more detailed airflow data and technical specifications, please see the product tech sheet at www.ventair.com.au


HIGH AIRFLOW



Brook 2

HIGH AIRFLOW HEAT, LIGHT & EXHAUST

- Instant infrared heat globes
- Energy efficient flush mount LED downlight
- Aluminium ducting and external grille included
- Easy to clean and install



- Thermal safety feature
- Energy saving back draft stopper
- 3 year warranty with 2 year in-home service period

Model	Colour	Grille Size	Exhaust Power	Air Delivery	Noise	Heat	Light	Rec. Min. Install depth	Cutout
VHF2S	Silver	525 x 305mm	40w	HIGH*	44dB(A)	2 x 275w	1 x 10w LED	220mm	470 x 240mm
VHF2W	White	525 x 305mm	40w	HIGH*	44dB(A)	2 x 275w	1 x 10w LED	220mm	470 x 240mm

HIGH AIRFLOW



Brook 4

HIGH AIRFLOW HEAT, LIGHT & EXHAUST

- Instant infrared heat globes
- Energy efficient flush mount LED downlight
- Aluminium ducting and external grille included
- Easy to clean and install



- Thermal safety feature
- Energy saving back draft stopper
- 3 year warranty with 2 year in-home service period

Model	Colour	Grille Size	Exhaust Power	Air Delivery	Noise	Heat	Light	Rec. Min. Install depth	Cutout
VHF4S	Silver	450 x 450mm	40w	HIGH*	44dB(A)	4 x 275w	1 x 10w LED	220mm	375 x 375mm
VHF4W	White	450 x 450mm	40w	HIGH*	44dB(A)	4 x 275w	1 x 10w LED	220mm	375 x 375mm

*For more detailed airflow data and technical specifications, please see the product tech sheet at www.ventair.com.au



Myka 2

SLIMLINE LOW PROFILE 3-IN-1

- Energy efficient flush mount LED downlight
- Two instant radiant heat globes
- Side ducted ball bearing exhaust fan
- Aluminium ducting and external grille included

- Thermal safety feature
- Energy saving back draft stopper
- 3 year warranty with 2 year in-home service period

Model	Colour	Grille Size	Exhaust Power	Air Delivery	Noise	Heat	Light	Rec. Min. Install depth	Cutout
M2HDLXS	Silver	420 x 245mm	28w	MED*	38dB(A)	2 x 275w	1 x 10w LED	220mm	355 x 200mm
M2HDLXWH	White	420 x 245mm	28w	MED*	38dB(A)	2 x 275w	1 x 10w LED	220mm	355 x 200mm



Myka 4

SLIMLINE LOW PROFILE 3-IN-1

- Energy efficient flush mount LED downlight
- Four instant radiant heat globes
- Side ducted ball bearing exhaust fan
- Aluminium ducting and external grille included

- Thermal safety feature
- Energy saving back draft stopper
- 3 year warranty with 2 year in-home service period

Model	Colour	Grille Size	Exhaust Power	Air Delivery	Noise	Heat	Light	Rec. Min. Install depth	Cutout
M4HDLXS	Silver	370 x 370mm	28w	MED*	38dB(A)	4 x 275w	1 x 10w LED	220mm	310 x 300mm
M4HDLXWH	White	370 x 370mm	28w	MED*	38dB(A)	4 x 275w	1 x 10w LED	220mm	310 x 300mm

*For more detailed airflow data and technical specifications, please see the product tech sheet at www.ventair.com.au



Regent

PREMIUM

BATHROOM SERIES



- New stylish grille designed for max heat output
- Ball bearing side ducted exhaust fan
- Instant radiant heat lamps
- Energy efficient LED panel light
- Ideal for limited installation space
- Aluminium ducting and external grille included
- Thermal switch safety feature
- Energy saving back draft stopper
- 3 year warranty with 2 year in-home service period

Model	Colour	Grille Size	Exhaust Power	Air Delivery	Noise	Heat	Light	Rec. Min. Install depth	Cutout
V2RHLEXAG	Silver	440x358mm	40w	MED*	42dB(A)	2 x 500w	1 x 12w LED	200mm	415 x 330mm
V2RHLEXWHAG	White	440x358mm	40w	MED*	42dB(A)	2 x 500w	1 x 12w LED	200mm	415 x 330mm

*For more detailed airflow data and technical specifications, please see the product tech sheet at www.ventair.com.au



Eko

HEAT, LIGHT & EXHAUST

- Instant radiant heat
- Energy efficient LED light
- Side ducted exhaust fan with draft stopper
- Ducting, external grille and wall switch included
- Long lasting ball bearing motor
- Thermal safety feature
- Easy to clean and install
- Energy saving back draft stopper included
- 3 year warranty with 2 year in-home service period

Model	Colour	Grille Size	Exhaust Power	Air Delivery	Noise	Heat	Light	Rec. Min. Install depth	Cutout
H2LW	White	430 x 250mm	28w	MED*	38dB(A)	2 x 275w	1 x 6w LED	200mm	355 x 200mm



Eko Duo

HEAT, LIGHT & EXHAUST

- Instant radiant heat
- Energy efficient LED light
- Side ducted exhaust fan with draft stopper
- Ducting, external grille and wall switch included
- Long lasting ball bearing motor
- Easy to clean and install
- Thermal safety feature
- Energy saving back draft stopper
- 3 year warranty with 2 year in-home service period

Model	Colour	Grille Size	Exhaust Power	Air Delivery	Noise	Heat	Light	Rec. Min. Install depth	Cutout
H22LW	White	420 x 230mm	28w	MED*	38dB(A)	2 x 275w	2 x 6w LED	200mm	355 x 200mm

*For more detailed airflow data and technical specifications, please see the product tech sheet at www.ventair.com.au



Klein 2

TWO HEAT UNIT

- 3-in-1 heater, light and exhaust unit
- Fully enclosed side ducted motor assembly
- Aluminium ducting and external grille included
- Thermal safety feature
- Energy saving back draft stopper
- 3 year warranty with 2 year in-home service period

Model	Colour	Grille Size	Exhaust Power	Air Delivery	Noise	Heat	Light	Rec. Min. Install depth	Cutout
H2W	White	440 x 230mm	25w	MED*	38dB(A)	2 x 275w	1 x 60w R63	200mm	345 x 185mm



Klein 4

FOUR HEAT UNIT

- 3-in-1 heater, light and exhaust unit
- Fully enclosed side ducted motor assembly
- Aluminium ducting and external grille included
- Thermal safety feature
- Energy saving back draft stopper
- 3 year warranty with 2 year in-home service period

Model	Colour	Grille Size	Exhaust Power	Air Delivery	Noise	Heat	Light	Rec. Min. Install depth	Cutout
H4W	White	430 x 375mm	25w	MED*	38dB(A)	4 x 275w	1 x 100w R80	220mm	295 x 295mm

*For more detailed airflow data and technical specifications, please see the product tech sheet at www.ventair.com.au


EXHAUST FANS

Engineered from the ground up.

Ventair's AIRBUS Exhaust System has raised the standards for air movement in homes all around Australia. With four performance levels and a wide range of stylish fascias, the AIRBUS range is Australia's most comprehensive range of domestic exhaust fans.

Healthy Home, Healthy Life.

Having fresh airflow and regular air changes is vitally important for maintaining a healthy living environment. Steam build up can cause mould and mildew that can cause damage to fixtures and create an unhealthy living environment.




ULTIMATE AIR
EXTRACTION

PRO-V
by ventair™



Maintains Pressure with Ducting*



Designed to work on longer duct runs.

AIRBUS

TOTAL EXHAUST SOLUTION 300

ULTRA-HIGH AIR EXTRACTION

- Unsurpassed air extraction
- Designed to maintain airflows over extended duct runs (Up to 10 metres!)
- Modern slimline fascia designed for maximising airflow
- Available with round or square fascia

Model	Style	Grille Size	Exhaust Power	Air Delivery	Noise	Light	Rec. Min. Install depth	Cutout
PVPX300WH	Round	Ø326mm	106w	550m³H	42dB(A)	NA	220mm	Ø296mm
PVPX300WHSQ	Square	326 x 326mm	106w	550m³H	42dB(A)	NA	220mm	Ø296mm

*Airflow data gathered in accordance with internationally recognised testing Standards. Airflow may vary according to style of fascia used.

PRO-V

by ventair.



AIRBUS

TOTAL EXHAUST SOLUTION 250/225

HIGHER LEVEL AIR EXTRACTION

- Excellent airflow ideal for bathrooms and toilets
- Suitable for longer duct runs
- Ideal for multi-story applications
- Premium ball bearing motor
- Super low profile
- Easy to install and clean
- Energy saving backdraft stopper included

Model	Style	Grille Size	Exhaust Power	Air Delivery	Noise	Duct Outlet Size	Rec. Min. Install depth	Cutout
PVPX250	Motor Only	328mm	50w	378m ³ H	42dB(A)	150mm	200mm	Ø296mm
PVPX225	Motor Only	328mm	38w	276m ³ H	40dB(A)	150mm	200mm	Ø296mm

Choose your grille:



ABGLED250WH-RD White Round with 14w 1200Lm LED Light IP44
ABGLED250SS-RD Silver Round with 14w 1200Lm LED Light IP44
ABGLED250BL-RD Black Round with 14w 1200Lm LED Light IP44
ABGLED250WH-SQ White Square with 14w 1200Lm LED Light IP44
ABGLED250SS-SQ Silver Square with 14w 1200Lm LED Light IP44
ABGLED250BL-SQ Black Square with 14w 1200Lm LED Light IP44

ABG250WH-RD White Round IPX4
ABG250SS-RD Silver Round IPX4
ABG250BL-RD Black Round IPX4
ABG250WH-SQ White Square IPX4
ABG250SS-SQ Silver Square IPX4
ABG250BL-SQ Black Square IPX4
ABGHF250WH-RD White Round High Airflow IPX4
ABGHF250WH-SQ White Square High Airflow IPX4
ABGHF250MB-RD Matte Black Round High Airflow IPX4
ABGHF250MB-SQ Matte Black Square High Airflow IPX4

*Airflow data gathered in accordance with internationally recognised testing Standards. Airflow may vary according to style of fascia used.



AIRBUS

TOTAL EXHAUST SOLUTION 200

MODERATE AIR EXTRACTION

- Excellent airflow ideal for powder rooms and toilets
- Suitable for longer duct runs
- Ideal for multi-story applications
- Premium ball bearing motor
- Super low profile
- Easy to install and clean
- Energy saving backdraft stopper included

Model	Style	Grille Size	Exhaust Power	Air Delivery	Noise	Light	Rec. Min. Install depth	Cutout
PVPX200	Motor Only	NA	30w	175m ³ /H	38dB(A)	NA	200mm	Ø240mm

Choose your grille:



ABG200WH-RD	White Round IPX4
ABG200SS-RD	Silver Round IPX4
ABG200BL-RD	Black Round IPX4
ABG200WH-SQ	White Square IPX4
ABG200SS-SQ	Silver Square IPX4
ABG200BL-SQ	Black Square IPX4
ABGHF200WH-RD	White Round High Airflow IPX4
ABGHF200WH-SQ	White Square High Airflow IPX4
ABGHF200MB-RD	Matte Black Round High Airflow IPX4
ABGHF200MB-SQ	Matte Black Square High Airflow IPX4

ABGLED200WH-RD	White Round with 10w 800Lm LED Light IP44
ABGLED200SS-RD	Silver Round with 10w 800Lm LED Light IP44
ABGLED200BL-RD	Black Round with 10w 800Lm LED Light IP44
ABGLED200WH-SQ	White Square with 10w 800Lm LED Light IP44
ABGLED200SS-SQ	Silver Square with 10w 800Lm LED Light IP44
ABGLED200BL-SQ	Black Square with 10w 800Lm LED Light IP44



Olson

MODERN SIDE DUCTED EXHAUST FAN

- Sleek modern design
- Easy clean and removable grille
- Round motor body for easy retro install
- Quiet running turbo fan
- Built-in draft stopper
- 100mm duct compatible
- Long life ball bearing motor
- AC Plug and lead included

Model	Colour	Grille Size	Exhaust Power	Air Delivery	Noise	Light	Rec. Min. Install depth	Cutout
VXRD8PW	White	Ø270mm	25w	146m ³ H	36dB(A)	NA	200mm	Ø240mm
VRXFW	White	Ø325mm	30w	189m ³ H	41dB(A)	NA	200mm	Ø295mm



Ovation

MODERN SIDE DUCTED EXHAUST FAN

- Premium Ball Bearing Motor for smooth long life
- Easy to install and clean
- Low profile ultra modern design
- Back draft stopper included
- Plug and lead included

Model	Colour	Grille Size	Exhaust Power	Air Delivery	Noise	Light	Rec. Min. Install depth	Cutout
VXSQ8PW	White	270 x 270mm	25w	146m ³ H	36dB(A)	NA	200mm	Ø240mm
SRVXSQ10PW	White	325 x 325mm	30w	189m ³ H	41dB(A)	NA	200mm	Ø295mm





Larivee

MODERN SIDE DUCTED EXHAUST FAN WITH LED LIGHT

- Premium ball bearing motor for smooth long life
- Centre 7w LED Globe
- Easy to install and clean
- Low profile ultra modern design
- Back draft stopper included
- Plug and lead included

Model	Colour	Grille Size	Exhaust Power	Air Delivery	Noise	Light	Rec. Min. Install depth	Cutout
LVXRD8PW-LED	White	Ø270mm	25w	146m ³ H	36dB(A)	7w 550Lms	200mm	Ø240mm
LVXRD10PW-LED	White	Ø325mm	30w	189m ³ H	41dB(A)	7w 550Lms	200mm	Ø295mm



Levin

MODERN SIDE DUCTED EXHAUST FAN WITH LED LIGHT

- Premium ball bearing motor for smooth long life
- Centre 7w LED Globe
- Easy to install and clean
- Low profile ultra modern design
- Back draft stopper included
- Plug and lead included

Model	Colour	Grille Size	Exhaust Power	Air Delivery	Noise	Light	Rec. Min. Install depth	Cutout
LVXSQ8PW-LED	White	270 x 270mm	25w	146m ³ H	36dB(A)	7w 550Lms	200mm	Ø240mm
LVXSQ10PW-LED	White	325 x 325mm	30w	189m ³ H	41dB(A)	7w 550Lms	200mm	Ø295mm

HIGH AIRFLOW



Jet

HIGH AIRFLOW SIDE DUCTED EXHAUST FAN

- High air extraction
- Ideal for high steam areas
- Ideal for ducting to external outlet
- New contemporary easy clean fascia
- 295mm round cut out for easy install
- Quiet running turbo fan
- Inbuilt backdraft stopper
- 150mm duct compatible
- Long life ball bearing motor
- Three year warranty

Model	Colour	Grille Size	Exhaust Power	Air Delivery	Noise	Light	Rec. Min. Install depth	Cutout
HFXSQW	White	325 x 325mm	40w	330m ³ H	48dB(A)	NA	200mm	Ø295mm

HIGH AIRFLOW



Jumbo & Turbo

HIGH AIRFLOW SIDE DUCTED EXHAUST FAN

- High air extraction
- Ideal for high steam areas
- Ideal for ducting to external outlet
- New contemporary easy clean fascia
- 295mm round cut out for easy install
- Quiet running turbo fan
- Inbuilt backdraft stopper
- 150mm duct compatible
- Long life ball bearing motor
- Three year warranty

Model	Colour	Grille Size	Exhaust Power	Air Delivery	Noise	Light	Rec. Min. Install depth	Cutout
VJXSQWH	White	325 x 325mm	40w	330m ³ H	48dB(A)	NA	200mm	Ø295mm
VTXRWH	White	Ø325mm	40w	330m ³ H	48dB(A)	NA	200mm	Ø295mm

HIGH AIRFLOW



Ultraflo

HIGH AIR EXTRACTION EXHAUST FAN

- High air extraction axial series
- Fast steam and odour removal
- Energy saving built in draft stopper
- Airflow maximising grille design
- Long life ball bearing motor
- DIY plug and lead supplied

Model	Colour	Grille Size	Exhaust Power	Air Delivery	Noise	Light	Rec. Min. Install depth	Cutout
WRSAX200	White	Ø270mm	27w	480m ³ H	45dB(A)	NA	250mm	Ø240mm
WRSAX250	White	Ø330mm	35w	750m ³ H	48dB(A)	NA	250mm	Ø290mm



Gyro

AXIAL BALL BEARING EXHAUST FAN

- Traditional design
- Quiet operation
- Excellent Airflow
- Easy to clean removable grille
- Retro-fit standard cutout sizes

Model	Colour	Grille Size	Exhaust Power	Air Delivery	Noise	Light	Rec. Min. Install depth	Cutout
PTBX200	White	Ø300mm	30w	273m ³ H	39dB(A)	NA	250mm	Ø240mm
PTBX250	White	Ø353mm	35w	385m ³ H	48dB(A)	NA	250mm	Ø295mm





Universal

WALL OR CEILING MOUNTABLE EXHAUST FAN

- New modern design fascia
- Quiet & Efficient
- Easy to install and clean
- Back-draft stopper included
- Long life ball bearing motor included
- Three years warranty

Model	Colour	Grille Size	Exhaust Power	Air Delivery	Noise	Light	Rec. Min. Install depth	Cutout
VUF150WH	White	Ø193mm	25w	210m ³ H	39dB(A)	NA	200mm	Ø150mm
VUF150SS	Silver	Ø193mm	25w	210m ³ H	39dB(A)	NA	200mm	Ø150mm



Slimline

VERSATILE WALL/CEILING/WINDOW SLIMLINE EXHAUST FAN

- New modern slimline design
- Keeps small rooms and damp areas ventilated
- Designed for continuous running if required
- Multi-purpose wall, window or ceiling mount
- Easy clean and install
- Low install depth
- Energy saving backdraft stopper included



Model	Colour	Grille Size	Exhaust Power	Air Delivery	Noise	IP Rating	Rec. Min. Install depth	Cutout
VSLF100	White	158 x 158mm	15w	70m ³ H	33dB(A)	IPX4	80mm for walls, 150 for ceiling	Ø100mm
VSLF125	White	180 x 180mm	20w	120m ³ H	35dB(A)	IPX4		Ø125mm
VSLF150	White	209 x 209mm	25w	210m ³ H	37dB(A)	IPX4		Ø150mm



Mixflow



PREMIUM HIGH POWERED MIXFLOW INLINE EXHAUST FAN

- Commercial grade performance
- Ideal for hot or cold air transfer
- Powerful long life ball bearing motor
- Rated to 80,000 hours continuous runtime
- Rated to 30,000 start cycles
- Integrated energy saving back draftstopper
- Ideal for long duct runs
- 2 speed high/low external switch
- High static pressure makes it ideal for longer duct runs
- Plug and lead included

Model	Colour	Motor Power	Air Delivery	Noise	IP Rating	Rec. Min. Install depth	Duct Outlet
VMFIL100	Black	30/25w	240m³H	37/30dB(A)	IPX4	250mm	Ø100mm
VMFIL150	Black	50/40w	561m³H	47/39dB(A)	IPX4	280mm	Ø150mm
VMFIL200	Black	130/105w	852m³H	53/45dB(A)	IPX4	300mm	Ø200mm




Inline



INLINE EXHAUST FAN

- Ideal for Hot/Cold Air Transfer
- Eco Performance motor
- Easy to install

Model	Material	Motor Power	Air Delivery	Noise	IP Rating	Speed(RPM)	Duct Size
INL100	Aluminium Housing	18w	119m³H	39dB(A)	IPX4	2700rpm	Ø100mm
INL150	Aluminium Housing	36w	323m³H	43dB(A)	IPX4	2500rpm	Ø150mm



Designed to be used in conjunction with Inline Exhaust Fan Systems.



Modular 150

150MM INTERIOR AIR VENT ADAPTER

Versatile interior air vent adapter to connect any style AIRBUS 200 fascia with a 150mm Inline Exhaust Fan system.



360° swivel spigot & two height settings to assist joist clearance.

Model	Colour	Duct Outlet Size	Cutout Size	Min Install Depth
VMFK150	White	Ø150mm	Ø238mm	210mm



Air Transfer Kit

150MM INLINE EXHAUST FAN KIT

- Ideal for warm/cold air transfer
- Long life ball bearing motor
- Low noise level
- Easy to install
- Adjustable air intake/outlet vents included

Model	Colour	Grille Size	Exhaust Power	Air Delivery	Noise	IP Rating	Rec. Min. Install depth	Cutout
VATK150	White	Ø206mm	25w	250m ³ H	41dB(A)	IPX4	200mm	Ø150mm



Shower Light Kit

150MM INLINE EXHAUST FAN KIT WITH LED LIGHT


- Energy saving LED light
- Long life ball bearing motor
- Easy to install
- Full ducting kit included
- 1 x External grille
- 1 x 4m Aluminium ducting (150mm)

Model	Colour	Exhaust Power	Air Delivery	Noise	Light	IP Rating	Rec. Min. Install depth	Cutout
VEDLKWH	White	25w	210m ³ H	39dB(A)	10w LED 855Lm	IPX4	200mm	Ø158mm



OUTDOOR HEATERS

NEW PRODUCT!



Sunset

RADIANT OUTDOOR STRIP HEATER

Flush Mount

FLUSH MOUNT HOUSING KIT

*The Flush Mount Housing is an ideal way to neatly install the Sunset heater into a ceiling. **SUNFMH***

- High efficiency radiant heat for instant warming effect
- Premium quality Schott Glass allows for excellent heat transfer
- Wall, Ceiling or Flush mount compatible (Flush mount kit optional)
- Remote control with three heat settings and timer included
- IP65 weather rating, ideal for any outdoor conditions

Model	Name	Colour	Heat Wattage	Dimensions	IP Rating	Remote Control
SUN1800WHS	Sunset	Black	1800 watts	900 x 170 x 80mm	IP65	Included



Heatwave Pro

RADIANT OUTDOOR STRIP HEATER

- Outdoor infrared heater
- Create a warm, ambient atmosphere
- IP65 Ideal for outdoor use
- Remote control option (-R models)
- Aluminium casing
- Corrosion-resistant materials
- Wall or ceiling mountable

Model	Remote Controlled	Wattage	IP Rating	Heat Element	DIY	Size
VSH1800	No	1800 watts	IP65	Aluminium Alloy	Plug & Lead	1225 x 177 x 60mm
VSH1800-R	RF Remote Included	1800 watts	IP65	Aluminium Alloy	Plug & Lead	1225 x 177 x 60mm
VSH2400	No	2400 watts	IP65	Aluminium Alloy	Plug & Lead	1505 x 177 x 60mm
VSH2400-R	RF Remote Included	2400 watts	IP65	Aluminium Alloy	Plug & Lead	1505 x 177 x 60mm
VSH3200	No	3200 watts	IP65	Aluminium Alloy	Plug & Lead 15(A)	1915 x 177 x 60mm
VSH3200-R	RF Remote Included	3200 watts	IP65	Aluminium Alloy	Plug & Lead 15(A)	1915 x 177 x 60mm



Heatwave

RADIANT OUTDOOR STRIP HEATER

- Outdoor wall mounted infrared heater
- Immediate heat with no warm up time
- Create a warm, ambient atmosphere
- Low glare carbon filament heat lamps
- IP65 Ideal outdoor use
- Aluminium casing and stainless steel grille
- Corrosion-resistant materials
- Wall mountable


Model	Wattage	IP Rating	Heat Element	DIY	Size
VALSH2000	2000 watts	IP65	Carbon HE	Plug & Lead	660 x 88 x 133mm
VALSH3000	3000 watts	IP65	Carbon HE	Plug & Lead 15(A)	1115 x 88 x 133mm



Aztec

ROUND RAIL

- Long life graphite heat element
- Rounded rail design
- Left or right wiring options
- Quality Stainless steel
- Steel bracket mount
- Double isolated for safety



Jasper

SQUARE RAIL

- Long life graphite heat element
- Square rail design
- Left or right wiring options
- Quality Stainless steel
- Steel bracket mount
- Double isolated for safety

Model	Description	IP Rating	Wattage	Finish	Size
Aztec VTK7LS	7 Round Rails	IP34	70 watts	Stainless Steel	910 x 630mm
Jasper VTK5SLS	5 Square Rails	IP34	50 watts	Stainless Steel	645 x 550mm
Jasper VTK7SLS	7 Square Rails	IP34	70 watts	Stainless Steel	945 x 630mm

Accessories



Remote Control

SUITS ALL VENTAIR
BATHROOM UNITS

Model	To Suit
V31RFR	Two/Four Heat Bathroom Units



Run On Timers

Model	To Suit
VTROTIMER	1-25 mins



Motion Sensor Run on Timer

1-5M DETECTION RANGE

Model	To Suit
VTMSENSOR	1-20 mins



Ducting Adaptors

ADAPTOR AND Y CONNECTOR

Model	Size
VDA100-150	100mm-150mm
V150Y	150mm Y Adaptor



Aluminium Ducting

FLEXIBLE ALUMINIUM DUCTING

Model	Size
VAD100	ø100mm x 3m
VAD125	ø125mm x 4m
VAD150-3	ø150mm x 3m
VAD150	ø150mm x 6m
VAD200-6	ø200mm x 6m



Ducting Kit

FLEXIBLE ALUMINIUM DUCTING
WITH OUTLET GRILLE

Model	To Suit
V100DKIT	ø100mm x 3m
V150DKIT	ø150mm x 6m



Round Grille

WEATHERPROOF
ROUND GRILLE

Model	Duct Size
V150WL	ø150mm
V200WL	ø200mm



Fixed Grille

FIXED INLET/OUTLET GRILLE

Model	Duct Size
V100FG	ø100mm
V125FG	ø125mm
V150FG	ø150mm



Gravity Shutter

EXTERIOR AIR VENT

Model	Duct Size
V100GS	ø100mm
V125GS	ø125mm
V150GS	ø150mm



Adjustable Vent

WHITE INTERIOR VENT

Model	Duct Size
V100WRIG	ø100mm
V125WRIG	ø125mm
V150WRIG	ø150mm



Adjustable Vent

CHROME INTERIOR VENT


Model	Duct Size
V100CHRI	ø100mm
V125CHRI	ø125mm
V150CHRI	ø150mm



Hooded Outlet

STAINLESS STEEL EXTERIOR

Model	Duct Size
V150SHEG	ø150mm



Premium Vent

WEATHER PROOF ALUMINIUM
EXTERIOR AIR VENT

Model	Size
V150PALG	155 x 280mm (Fits Standard Brick Size), Ø150mm Duct outlet size



Door Grille

DOOR RELIEF AIR GRILLE

Model	Size
VDRAG	440 x 140mm



Roof Cowl Kit

THROUGH ROOF COWL KIT

Model	Size
VRCK150	ø150mm



Replacement LED Lights

10W REPLACEMENT LED PARTS

Model	Style	Colour	Lumens
BDL10	10w Replacement Brook LED	4000K Natural	~700Lm
MDL10	10w Replacement Myka LED	4000K Natural	~600Lm



Heat Tubes

SUITS REGENT BATHROOM HEATERS

Model	Wattage	Colour
500W WHITE TUBE	500 watts	White
800W RED TUBE	800 watts	Red



Halogen Globes

HALOGEN REFLECTOR GLOBES

Model	Wattage
R63HF	42 watts
R80HF	70 watts



Heat Globes

SUITS MOST BATHROOM UNITS

Model	Wattage
VHL275	275 watts
VHL375 (Garrison Only)	375 watts



Reflector Globes

Model	Wattage	Type	Models to suit
VR63LED	6 watts	LED	Eko, Eko Duo, Klein 2 & 4
VR80LED	6 watts	LED	Steampro



GU10 LED Globes

Model	Wattage	Colour	Lumens
7WGU10LED	7 watts	4000K Natural	550Lm
PT5-LGWW	5 watts	3000k Warm	450Lm
PT5-LGNW	5 watts	4000k Natural	450Lm
PT5-LGCW	5 watts	5000k Cool	450Lm

**THE VENTAIR BRAND HAS
BECOME KNOWN FOR
ATTRACTIVE, INNOVATIVE
DESIGNS WITH QUALITY,
RELIABILITY AND
PERFORMANCE.**

Find your closest supplier

<https://ventair.com.au/local-distributors>



ventairtm

THE AIR MOVEMENT SPECIALISTS



www.ventair.com.au

Phone: +61 3 9775 0556

Fax: +61 3 9775 0775

4 Capital Place, Carrum Downs
Vic 3201 Australia