Contessa Lighting
SUPERIOR LIGHTING SOLUTIONS
Bespoke Lighting Solutions
SINCE 1946

Contessa Lighting
SUPERIOR LIGHTING SOLUTIONS

SCAN TO VIEW ONLINE

Contessa Lighting is a dynamic company that embraces innovative and unique lighting design. Founded in 1946 and located south of Sydney Australia, we have a long history and true global reach.

Contessa has researched, designed and developed innovative lighting luminaires. We have a long standing international reputation for our bespoke capabilities and 'off the shelf' architectural light fittings. Our consultants are experts in their fields and are actively engaged in the process, whether it be concept design, manufacture or project delivery. 70 years' experience in manufacturing has enabled us to offer finished products of unique design and genuine quality carefully crafted by hand.

We are committed to working in a collaborative environment to find innovative design solutions that provide lasting outcomes. If there are no bespoke designs in this brochure that suit your design plan, please do not hesitate to send our team your lighting concepts for appraisal.

Some of our services include:
- Bespoke lighting research, design & manufacturing
- Material & characteristic selection assistance
- Design to delivery service

Saturn Nimbus Single PAGE 6-7

Linear LED Contour System PAGE 20-23

Bespoke Drum PAGE 40-41

Bespoke Carton PAGE 56-57

Saturn Nimbus 2 Tier PAGE 8-9

Linear LED Straight System PAGE 24-27

Bespoke Cilindro PAGE 42-43


Bespoke Astris PAGE 58-59

Saturn Nimbus 3 Tier PAGE 8-9


Solid Pendants PAGE 28-29

Bespoke Conic PAGE 44-45

Bespoke Trix PAGE 60-61

Saturn Convex PAGE 10-11


Solid Wall Light PAGE 30-31

Bespoke Halo PAGE 46-47

Fabric Wall Lights PAGE 62-63

Saturn Convex C60 PAGE 12-13


Tube Pendants PAGE 32-33

Bespoke UFO PAGE 48-49

Saturn Ring 100 PAGE 14-15

Dome Pendant PAGE 34-35

Bespoke Multi PAGE 50-51

Saturn Ring 60 PAGE 16-17

LIGHTBOX PAGE 36-37

Bespoke Spa PAGE 52-53

Saturn Sun PAGE 18-19

Saturn Vintage PAGE 38-39

Bespoke Cubic PAGE 54-55

NEED SOMETHING DIFFERENT?

VIEW OUR COMPLETE RANGE AT WWW.CONTESSALIGHTING.COM.AU

YOU CAN SEND US AN IMAGE OF WHAT YOU REQUIRE AND WE WILL SOURCE IF FOR YOU OR WE ALSO MANUFACTURE LIGHTS FROM CONCEPT DRAWINGS

SEND YOUR CONCEPTS TO SALES@CONTESSALIGHTING.COM.AU

Nimbus Single

SATURN NIMBUS Custom LED Luminaire

Saturn Nimbus is available in a selection of diameters and finishes. The finish can be customised per your specifications.

Profile Size:	20mm Wide x 25mm High
Material:	Extruded Aluminium
Finishes:	*Powder coated* - Black / White / Silver / Custom Colour *Electroplated* - Enquire for finishes
Diffuser:	PMMA Satin
Voltage:	240V - 50Hz
CRI:	80+
IP Rating:	IP20
Light Source:	LED boards
CCT:	3000K, 4000K, 5000K *(4000K & 5000K are indent lines)*
Beam Angle:	120°
Ambient temp:	0°C ... 45°C
Dimming Options:	Universal dimming included *(450/600/800 only)* - DALI (Optional) - DSI (Optional) - SwitchDIM (Optional)
Lumen Package: /diameter	- 450mmØ = 24W 1750 Lm - 600mmØ = 36W 2660 Lm - 800mmØ = 42W 2984 Lm - 1000mmØ = 60W 3300 Lm - 1200mmØ = 72W 4000 Lm
Mounting:	- Wire suspended BTC (back to canopy) - Wire suspended DTC (direct to ceiling) *(DTC requires remote driver)*





Nimbus Tiered

SATURN NIMBUS TIERED Custom LED Luminaire

The Saturn Nimbus single diameters can be paired with each other to create fittings with two tiers up to five tiers. The finish can be customised per your specifications.

Profile Size:	20mm W x 25mm H
Diameters:	450, 600, 800, 1000, 1200 (mm)
Material:	Extruded Aluminium
Finishes:	*Powder coated* - Black / White / Silver / Custom Colour *Electroplated* - Enquire for finishes
Diffuser:	PMMA Satin
Voltage:	240V - 50Hz
CRI:	80+
IP Rating:	IP20
Light Source:	LED boards
CCT:	3000K, 4000K, 5000K *(4000K & 5000K are indent lines)*
Beam Angle:	120°
Ambient temp:	0°C ... 45°C
Dimming Options: *only)*	Universal dimming included *(450/600, 600/800* - DALI (Optional) - DSI (Optional) - SwitchDIM (Optional)
Lumen Package: /Fitting	- Join the lumen outputs of each individual tier *(For lumen outputs, check the previous page)*
Mounting:	- Wire suspended BTC (back to canopy) - Wire suspended DTC (direct to ceiling) *(DTC requires remote driver)*

2 Tier



3 Tier



4 Tier



5 Tier



SATURN

Convex

SATURN CONVEX Custom LED Luminaire

The Saturn Convex is a rounded end rectangle pendant that utilizes the same profile as the Nimbus range. The finish can be customised per your specifications.

Profile Size:	20mm Wide x 25mm High
Material:	Extruded Aluminium
Finishes:	*Powder coated* - Black / White / Silver / Custom Colour *Electroplated* - Enquire for finishes
Diffuser:	PMMA Satin
Voltage:	240V - 50Hz
CRI:	80+
IP Rating:	IP20
Light Source:	LED boards
CCT:	3000K, 4000K, 5000K *(4000K & 5000K are indent lines)*
Beam Angle:	120°
Ambient temp:	0°C … 45°C
Dimming Options:	1-10 Volt dimming included - DALI (Optional) - DSI (Optional) - SwitchDIM (Optional)
Lumen Package: /Unit	- 1500mm = 60W 4800 Lm

Mounting:

- Wire suspended BTC (back to canopy)
- Wire suspended DTC (direct to ceiling)

(DTC requires remote driver)





Convex C60

SATURN CONVEX C60 Bespoke LED Luminaire

The Saturn Convex C60 pendant can be made to your specifications including profile size, length, width and finish.

Profile Size Options A: **(B Section 200mm)**	60mm W x 70mm H (Standard) 60mm W x 100mm H 100mm W x 110mm H
Pendant Width (W):	600, 750, 1000, 1200, 1500, 2500 (mm)
Material:	Aluminium + PC
Finishes:	*Powder coated* - Black / White / Silver / Custom Colour *Electroplated* - Enquire for finishes
Diffuser:	PC - Opal

Voltage:	240V - 50Hz
CRI:	80+
IP Rating:	IP20
Light Source:	LED boards
CCT:	3000K, 4000K, 5000K
Beam Angle:	120°
Ambient temp:	0°C … 45°C
Dimming Options:	Included (options below) - DALI - 1-10 Volt
Lumen Package: **/Length** *(Based off standard 60x70mm profile)*	- 2000mm = 160W 14400 Lm - 3000mm = 220W 19800 Lm - 4000mm = 280W 25200 Lm - 5000mm = 340W 30600 Lm - 6000mm = 400W 36000 Lm - 7000mm = 460W 41400 Lm *- Lumen package will change for custom lengths*

Mounting:

- Wire suspended DTC (direct to ceiling)
- Rod Suspended
  (Requires remote driver)





Contessa Lighting
SUPERIOR LIGHTING SOLUTIONS



Ring 100

SATURN RING 100 Custom LED Luminaire

Saturn Ring is available in a selection of diameters and finishes. The finish can be customised per your specifications.

Profile Size:	100mm Wide x 110mm High
Diameter:	450, 600, 750, 900, 1200 (mm)
Material:	Extruded Aluminium
Finishes:	*Powder coated* - Black / White / Silver / Custom Colour *Electroplated* - Enquire for finishes
Diffuser:	PMMA Satin

Voltage:	240V - 50Hz
CRI:	80+
IP Rating:	IP20
Light Source:	LED boards
CCT:	3000K, 4000K, 5000K *(4000K & 5000K are indent lines)*
Beam Angle:	120°
Ambient temp:	0°C … 45°C
Dimming Options:	1-10 Volt dimming included - DALI (Optional) - DSI (Optional) - SwitchDIM (Optional)
Lumen Package: /diameter	- 450mmØ = 30W 2715 Lm - 600mmØ = 40W 3620Lm - 750mmØ = 62W 5456 Lm - 900mmØ = 72W 6336 Lm - 1200mmØ = 92W 8096 Lm

Mounting:

- Wire suspended BTC (back to canopy)
- Wire suspended DTC (direct to ceiling)
  (DTC requires remote driver)
- Rod Suspended *(Requires remote driver)*
- Surface Mounted
- Recess Mounted





Contessa Lighting
SUPERIOR LIGHTING SOLUTIONS

Ring 60

SATURN RING 60 Custom LED Luminaire

Saturn Ring 60 is a fully customisable pendant. This pendant is available in a selection of diameters and lumen outputs. The finish can also be customised per your specification.

Profile Size Options:	60mm W x 70mm H (Standard) 60mm W x 100mm H
Diameter: *(Based of 60x70)*	660, 860, 1060, 1260, 1560, 2060, 2460, 3060, 4060, 5000 (mm)
Material:	Aluminium + PC
Finishes:	*Powder coated* - Black / White / Silver / Custom Colour *Electroplated* - Enquire for finishes
Diffuser:	PC - Opal

Voltage:	240V - 50Hz
CRI:	80+
IP Rating:	IP20
Light Source:	LED boards
CCT:	3000K, 4000K, 5000K
Beam Angle:	120°
Ambient temp:	0°C ... 45°C
Dimming Options:	Optional. - DALI - DSI - SwitchDIM
Lumen Package: /diameter *(Based off standard 60x70mm profile)*	- 660mmØ = 38W 3420 Lm - 860mmØ = 50W 4500 Lm - 1060mmØ = 63W 5670 Lm - 1260mmØ = 75W 6750 Lm - 1560mmØ = 94W 8460 Lm - 2060mmØ = 126W 11340 Lm - 2460mmØ = 151W 13590 Lm - 3060mmØ = 188W 16920 Lm - 5000mmØ = 314W 28260 Lm

Mounting:

- Wire suspended DTC (direct to ceiling)
- Rod suspended
- Surface mounted





Contessa Lighting
SUPERIOR LIGHTING SOLUTIONS

SATURN
Sun

SATURN SUN Custom LED Luminaire

Saturn Sun is available in a selection of diameters and finishes. The finish can be customised per your specifications.

Profile Size:	110mm High x Ø 450, 600, 750, 900 or 1200mm
Material:	Extruded Aluminium
Finishes:	*Powder coated* - Black / White / Silver / Custom Colour *Electroplated* - Enquire for finishes
Diffuser:	PMMA Satin
Voltage:	240V - 50Hz
CRI:	80+
IP Rating:	IP20
Light Source:	LED boards
CCT:	3000K, 4000K, 5000K
Beam Angle:	120°
Ambient temp:	0°C … 45°C
Dimming Options:	1-10 Volt dimming included - DALI (Optional) - DSI (Optional) - SwitchDIM (Optional)
Lumen Package: /diameter	- 450mmØ = 40W 4021 Lm - 600mmØ = 50W 5011Lm - 750mmØ = 72W 7456 Lm - 900mmØ = 98W 9898 Lm - 1200mmØ = 147W 14847 Lm

Mounting:

- Wire suspended BTC (back to canopy)
- Wire suspended DTC (direct to ceiling) *(DTC requires remote driver)*
- Rod Suspended *(Requires remote driver)*
- Surface Mounted
- Recess Mounted



Contessa Lighting
SUPERIOR LIGHTING SOLUTIONS

Contour System

LED CONTOUR SYSTEM Custom LED Luminaire

Contour System is an aluminium linear lighting system with curved angles as well as straight T sections, L sections and Y sections .

Profile Size:	60mm W x 80mm H (Standard) 60mm W x 100mm H
Material:	Aluminium
Finishes:	*Powder coated* - Black / White / Silver / Custom Colour *Electroplated* - Enquire for finishes
Diffuser:	PC - Opal

Voltage:	240V - 50Hz
CRI:	80+ (90+ available)
IP Rating:	IP20
Light Source:	LED boards
CCT:	3000K, 4000K, 5000K Tunable white (2700K to 6500K) *on selected configurations only*
Luminous efficacy:	Up to 170 Lm/W
Ambient temp:	0°C … 45°C
Dimming Options:	Included (select option below) - DALI - DSI - SwitchDIM
Lumen Packages:	- 17W 2645 Lm/M - 21W 3759 Lm/M - 25W 4367 Lm/M - 33W 5289 Lm/M

Lumen packages can be adjusted/changed to client requirements.

Mounting:

- Wire suspended
- Rod suspended
- Surface mounted



Contour System

LED CONTOUR SYSTEM Curves

Standard curves are created from a 600mm diameter circle.
Curves from larger diameters can be manufactured upon request.



30° Curve



45° Curve



60° Curve



90° Curve



120° Curve



180° Curve



45° Y Curve

LED CONTOUR SYSTEM Straight Lengths

565mm

845mm

1125mm

1405mm

1685mm

1965mm

2245mm



EXAMPLE: OPEN FORM CONTOUR SYSTEM



EXAMPLE: CLOSED FORM CONTOUR SYSTEM

Straight System



LINEAR STRAIGHT SYSTEM Custom LED Luminaire

Linear Straight profiles can be manufactured as stand alone pendants or as a complete system incorporating straight L, T & X junctions. Selected straight profiles feature no light leakage at the straight joins.

Profile Size:	70mm W x 80mm H (Standard) 50mm W x 75mm H 75mm W x 75mm H 100mm W x 75mm H 80mm W x 90mm H
Material:	Extruded Aluminium + PC
Finishes:	*Powder coated* - Black / White / Silver / Custom Colour *Electroplated* - Enquire for finishes
Diffuser:	PC - Opal
Voltage:	240V - 50Hz
CRI:	80+ (90+ available)
IP Rating:	IP20
Light Source:	LED boards
CCT:	3000K, 4000K, 5000K Tunable white (2700K to 6500K) *on selected configurations only*
Luminous efficacy:	Up to 170 Lm/W
Ambient temp:	0°C … 45°C
Dimming Options:	Included - DALI - DSI - SwitchDIM
Lumen Packages:	- 17W 2645 Lm/M - 21W 3759 Lm/M - 25W 4367 Lm/M - 33W 5289 Lm/M

Lumen packages can be adjusted/changed to client requirements.

Mounting:

- Wire suspended
- Rod suspended
- Surface mounted



Straight System

LINEAR STRAIGHT SYSTEM Junctions



X Junction



T Junction



L Junction





BESPOKE

Solid

AUSTRALIAN MADE

SOLID PENDANT Custom LED Luminaire

The Solid Pendant is a bespoke Australian Made light fitting. Made out of solid Australian Blackbutt or Tasmania Oak timber, this pendant can be customised including the length, timber type and finish.

Profile Size:	30mm W x 90mm H
Length:	2400, 1800 or 1200mm (custom for 10+)
Materials:	Wood, aluminium, PC
Finish Options:	Clear satin Whitewash Japanese black
Diffuser:	Opal PC

Voltage:	240V - 50Hz Input 24V output
CRI:	>80
IP Rating:	IP20
Light Source:	LED flex
CCT:	3000K, 4000K, 6500K
Beam Angle:	120°
Ambient temp:	0°C … 45°C
Dimming Options:	Universal dimming DALI DSI SwitchDIM
Lumen Package: /Length	- 1200mm = 14.4W 2160 Lm - 1800mm = 21.6W 3240 Lm - 2400mm = 28.8W 4320 Lm

Mounting:

- Wire suspended BTC (back to canopy)
- Rod Suspension



Solid Wall Lights

AUSTRALIAN MADE

SOLID WALL Custom LED Luminaire

The Solid Wall Light is a bespoke Australian Made light fitting. Made out of solid Australian Blackbutt or Tasmanian Oak timber, this wall light can be customised including the timber type, output and finish.

Profile Size:	300mm W x 65mm D x 140mm H
Materials:	Wood, aluminium, PC
Finish Options:	Clear satin Whitewash Japanese black
Diffuser:	Opal PC

Voltage:	240V - 50Hz Input
CRI:	>80
IP Rating:	IP20
Light Source:	LED board
CCT:	3000K
Beam Angle:	120°
Ambient temp:	0°C … 45°C
Dimming Options:	Universal dimming included DALI DSI SwitchDIM
Lumen Package: /Fixture	- 300mm = 11W 1396 Lm

Mounting:
- Surface mounted





Contessa Lighting
SUPERIOR LIGHTING SOLUTIONS



BESPOKE

Tube

AUSTRALIAN MADE

TUBE Custom LED Luminaire

The Tube Pendant is a bespoke Australian Made light fitting. This pendant can be customised using selected tube diameters, custom tube lengths and finishes.

Dimensions:	75 or 100 Ø x 350mm H 75 or 100 Ø x 500mm H 75 or 100 Ø x 700mm H or custom height.
Materials:	Steel
Finish Options:	Black White Custom powder coat
Diffuser:	Not applicable
Voltage:	240V - 50Hz
CRI:	>80
IP Rating:	IP20
Light Source:	LED Globe
CCT:	3000K, 4000K, 5000K
Beam Angle:	120°
Ambient temp:	0°C … 45°C
Dimming Optional:	Universal dimming optional
Lumen Package: /Fixture	- 350mm = 10W 950 Lm - 500mm = 10W 950 Lm - 700mm = 10W 950 Lm
Mounting:	- Wire suspended BTC (back to canopy) - Rod Suspension



Custom lengths available >4m

Contessa Lighting
SUPERIOR LIGHTING SOLUTIONS

Dome

AUSTRALIAN MADE

DOME Custom LED Luminaire

The Dome Pendant is a bespoke Australian Made light fitting. This pendant can be customised to selected sizes, finishes, lumen outputs and suspension lengths.

Dimensions:	500 Ø x 285mm H 600 Ø x 300mm H 750 Ø x 375mm H 1000 Ø x 500mm H
Materials:	Steel
Finish Options:	Black White Custom powder coat
Diffuser:	Not applicable

Voltage:	240V - 50Hz
CRI:	>80
IP Rating:	IP20
Light Source:	LED light hub
CCT:	3000K, 4000K, 5000K
Beam Angle:	120°
Ambient temp:	0°C … 45°C
Dimming Optional:	Universal dimming optional
Lumen Package: /Fixture	- 500mm = 10W 950 Lm - 600mm = 10W 950 Lm - 750mm = 30W 2850 Lm - 1000mm = 30W 2850 Lm

Mounting:

- Wire suspended BTC (back to canopy)
- Rod Suspension



Contessa Lighting
SUPERIOR LIGHTING SOLUTIONS

BESPOKE

Lightbox

AUSTRALIAN MADE

LIGHTBOX Custom LED Luminaire

The Lightbox is a bespoke Australian Made light fitting. Every feature of this pendant can be customised including the size, finish, lumen output and suspension length.



Dimensions:	600 W x 600 D x 250mm H 700 W x 700 D x 300mm H 900 W x 900 D x 350mm H 1100 W x 1100 D x 400mm H
Materials:	Steel, acrylic
Finish Options:	Texture Black Texture White Custom powder coat
Diffuser:	Opal acrylic - matt or gloss

Voltage:	240V - 50Hz
CRI:	>80
IP Rating:	IP20
Light Source:	LED panel
CCT:	3000K, 4000K, 5000K
Beam Angle:	180°
Ambient temp:	0°C … 45°C
Dimming Optional:	Universal dimming Inlcuded
Lumen Package: /Fixture	- 600mm = 35W 2700 Lm - 700mm = 36W 3000 Lm - 900mm = 36W 3000 Lm - 1100mm = 36W 3000 Lm

Mounting:

- Wire suspended BTC (back to canopy)
- Wire suspended DTC (direct to ceiling)
- Surface Mounted



Vintage

AUSTRALIAN MADE

SATURN VINTAGE Custom LED Luminaire

The Saturn Vintage is a bespoke Australian Made light fitting. This pendant can be customised to selected shapes, sizes, finishes, lumen outputs and suspension lengths.

Profile Size:	20mm W x 25mm H
Diameters (Ø):	450, 600, 800, 1000 (mm)
Material:	Extruded Aluminium + PC
Finishes:	*Powder coated* - Black / White / Silver / Custom Colour *Electroplated* - Enquire for finishes

Voltage:	240V - 50Hz
CRI:	>80
IP Rating:	IP20
Light Source:	LED Lamps
CCT:	2700k, 5000k
Beam Angle:	270°
Ambient temp:	0°C … 45°C
Dimming Optional:	Universal dimming optional
Lumen Package: /Fixture	- 450mm = 6 x 4W 3000 Lm - 600mm = 8 x 4W 4000 Lm - 800mm = 10 x 4W 2850 Lm - 1000mm = 14 x 4W 2850 Lm

Mounting:

- Wire suspended BTC (back to canopy)
- Wire suspended DTC (direct to ceiling)
- Rod Suspension



BESPOKE Drum

AUSTRALIAN MADE

DRUM Custom LED Luminaire

The Drum Pendant is a bespoke Australian Made light fitting. Every feature of this pendant can be customised including the size, lining, lumen output and suspension length.

Dimensions:	450 Ø x 250mm H 600 Ø x 300mm H 750 Ø x 325mm H 1000 Ø x 350mm H 1200 Ø x 400mm H
Materials:	Steel, fabric, acrylic
Finish Options:	Contessa designer fabric range Customer specified Customer supplied
Diffuser:	Opal acrylic - matt or gloss

Voltage:	240V - 50Hz
CRI:	>80
IP Rating:	IP20
Light Source:	LED light hub
CCT:	3000K, 4000K, 5000K
Beam Angle:	360°
Ambient temp:	0°C … 45°C
Dimming Optional:	Universal dimming optional
Lumen Package: /Fixture	- 450mm = 9W 850 Lm - 600mm = 27W 2550 Lm - 750mm = 27W 2550 Lm - 1000mm = 36W 3400 Lm - 1200mm = 36W 3400 Lm

Mounting:

- Wire suspended BTC (back to canopy)
- Wire suspended DTC (direct to ceiling)
- Rod Suspended
- Surface Mounted





BESPOKE

Cilindro

AUSTRALIAN MADE

CILINDRO Custom LED Luminaire

The Cilindro Pendant is a bespoke Australian Made light fitting. Every feature of this pendant can be customised including the size, lining, lumen output and suspension length.

Dimensions:	300 Ø x 500mm H 325 Ø x 600mm H 350 Ø x 750mm H 400 Ø x 1200mm H 400 Ø x 1800mm H
Materials:	Steel, fabric, acrylic
Finish Options:	Contessa designer fabric range Customer specified Customer supplied
Diffuser:	Opal acrylic - matt or gloss

Voltage:	240V - 50Hz
CRI:	>80
IP Rating:	IP20
Light Source:	LED vertical bar light
CCT:	3000K, 4000K, 5000K
Beam Angle:	360°
Ambient temp:	0°C … 45°C
Dimming Optional:	Universal dimming DALI DSI SwitchDIM
Lumen Package: /Fixture height	- 500mm = 19W 2880 Lm - 600mm = 24W 3600 Lm - 750mm = 31W 4680 Lm - 1200mm = 52W 7920 Lm - 1800mm = 82W 12240 Lm

Mounting:

- Wire suspended BTC (back to canopy)
- Wire suspended DTC (direct to ceiling)
- Rod Suspended
- Surface Mounted



Ø



Contessa Lighting
SUPERIOR LIGHTING SOLUTIONS

BESPOKE
Conic

AUSTRALIAN MADE

CONIC Custom LED Luminaire

The Conic Pendant is a bespoke Australian Made light fitting. Every feature of this pendant can be customised including the size, lining, lumen output and suspension length.

Dimensions:	550 B x 450 T x 300mm H 600 B x 500 T x 350mm H 800 B x 700 T x 400mm H 1000 B x 600 T x 600mm H 1500 B x 1200 T x 600mm H
Materials:	Steel, fabric, acrylic
Finish Options:	Contessa designer fabric range Customer specified Customer supplied
Diffuser:	Opal acrylic - matt or gloss
Voltage:	240V - 50Hz
CRI:	>80
IP Rating:	IP20
Light Source:	LED light hub
CCT:	3000K, 4000K, 5000K
Beam Angle:	360°
Ambient temp:	0°C … 45°C
Dimming Options:	Universal dimming optional
Lumen Package: /Fixture	- 5500mm = 18W 1700 Lm (2 Light) - 600mm = 27W 2550 Lm (3 Light) - 800mm = 27W 2550 Lm (3 Light) - 1000mm = 36W 3400 Lm (4 Light) - 1500mm = 36W 3400 Lm (4 Light)

Mounting:

- Wire suspended BTC (back to canopy)
- Wire suspended DTC (direct to ceiling)
- Rod Suspended
- Surface Mounted



Contessa Lighting
SUPERIOR LIGHTING SOLUTIONS

BESPOKE

Halo

AUSTRALIAN MADE

UFO Custom LED Luminaire

The UFO Pendant is a bespoke Australian Made light fitting. Every feature of this pendant can be customised including the size, lining, output and suspension length.

Dimensions:	600/500 Ø x 300mm H 800/700 Ø x 300mm H 900/800 Ø x 300mm H 1000/900 Ø x 350mm H 1200/1100 Ø x 400mm H
Materials:	Steel, fabric, acrylic
Finish Options:	Contessa designer fabric range Customer specified Customer supplied
Diffuser:	Opal acrylic - matt or gloss

Voltage:	240V - 50Hz
CRI:	>80
IP Rating:	IP20
Light Source:	LED light hub
CCT:	3000K, 4000K, 5000K
Beam Angle:	360°
Ambient temp:	0°C … 45°C
Dimming Options:	Universal dimming optional
Lumen Package: /Fixture	- 600mm = 18W 1700 Lm (2 Light) - 800mm = 27W 2550 Lm (3 Light) - 9000mm = 27W 2550 Lm (3 Light) - 1000mm = 36W 3400 Lm (4 Light) - 1200mm = 36W 3400 Lm (4 Light)

Mounting:

- Wire suspended BTC (back to canopy)
- Wire suspended DTC (direct to ceiling)
- Rod Suspended
- Surface Mounted





Contessa Lighting
SUPERIOR LIGHTING SOLUTIONS

BESPOKE

UFO

AUSTRALIAN MADE

UFO Custom LED Luminaire

The UFO Pendant is a bespoke Australian Made light fitting. Every feature of this pendant can be customised including the size, lining, output and suspension length.

Dimensions:	500/350 Ø x 400mm H 600/400 Ø x 500mm H 750/500 Ø x 600mm H 900/600 Ø x 800mm H 1100/700 Ø x 800mm H
Materials:	Steel, fabric, acrylic
Finish Options:	Contessa designer fabric range Customer specified Customer supplied
Diffuser:	Opal acrylic - matt or gloss

Voltage:	240V - 50Hz
CRI:	>80
IP Rating:	IP20
Light Source:	LED light hub
CCT:	3000K, 4000K, 5000K
Beam Angle:	360°
Ambient temp:	0°C … 45°C
Dimming Options:	Universal dimming optional
Lumen Package: /Fixture	- 500mm = 27W 2500 Lm (3 Light) - 600mm = 36W 3400 Lm (3 + 1 Light) - 750mm = 36W 3400 Lm (3 + 1 Light) - 900mm = 45W 4250 Lm (4 + 1 Light) - 1100mm = 45W 4250 Lm (4 + 1 Light)

Mounting:

- Wire suspended BTC (back to canopy)
- Wire suspended DTC (direct to ceiling)
- Rod Suspended
- Surface Mounted



BESPOKE

Multi

AUSTRALIAN MADE

MULTI Custom LED Luminaire

The Multi Pendant is a bespoke Australian Made light fitting. Every feature of this pendant can be customised including the size, lining, output and suspension length.

Dimensions:	600 Ø x 500mm H 800 Ø x 600mm H 1200 Ø x 700mm H
Materials:	Steel, fabric, acrylic
Finish Options:	Contessa designer fabric range Customer specified Customer supplied
Diffuser:	Opal acrylic - matt or gloss

Voltage:	240V - 50Hz
CRI:	>80
IP Rating:	IP20
Light Source:	LED light hub
CCT:	3000K, 4000K, 5000K
Beam Angle:	360°
Ambient temp:	0°C … 45°C
Dimming Options:	Universal dimming optional
Lumen Package: /Fixture	- 600mm = 27W 2500 Lm (3 Light) - 800mm = 36W 3400 Lm (3 + 1 Light) - 1200mm = 45W 4250 Lm (4 + 1 Light)

Mounting:

- Wire suspended BTC (back to canopy)
- Wire suspended DTC (direct to ceiling)
- Rod Suspended
- Surface Mounted



BESPOKE SPA

AUSTRALIAN MADE

SPA Custom LED Luminaire

The SPA Pendant is a bespoke Australian Made light fitting. Every feature of this pendant can be customised including the size, lining, output and suspension length.

Dimensions:	1040 W x 430 D x 480mm H 1200 W x 350 D x 300mm H 1400 W x 500 D x 300mm H 2000 W x 500 D x 480mm H
Materials:	Steel, fabric, acrylic
Finish Options:	Contessa designer fabric range Customer specified Customer supplied
Diffuser:	Opal acrylic - matt or gloss

Voltage:	240V - 50Hz
CRI:	>80
IP Rating:	IP20
Light Source:	LED Bar Light
CCT:	3000K, 4000K, 5000K
Beam Angle:	270°
Ambient temp:	0°C … 45°C
Dimming Options:	Universal dimming optional
Lumen Package: /Fixture	- 1040mm = 27W 2500 Lm (3 Light) - 1200mm = 27W 2500 Lm (3 Light) - 1400mm = 36W 3400 Lm (4 Light) - 2000mm = 45W 4250 Lm (5 Light)

Mounting:

- Wire suspended DTC (direct to ceiling)
- Rod Suspended
- Surface Mounted







TAPERED SIDE
SPA PENDANT

VERTICAL SIDE
SPA PENDANT

Cubic

AUSTRALIAN MADE

CUBIC Custom LED Luminaire

The Cube Pendant is a bespoke Australian Made light fitting. Every feature of this pendant can be customised including the size, lining, output and suspension length.

Dimensions:
500 W x 500 D x 300mm H
600 W x 600 D x 300mm H
700 W x 700 D x 350mm H
800 W x 800 D x 400mm H
900 W x 900 D x 400mm H

Materials: Steel, fabric, acrylic

Finish Options:
Contessa designer fabric range
Customer specified
Customer supplied

Diffuser: Opal acrylic - matt or gloss

Voltage: 240V - 50Hz
CRI: >80
IP Rating: IP20
Light Source: LED light hub
CCT: 3000K, 4000K, 5000K
Beam Angle: 270°
Ambient temp: 0°C ... 45°C

Dimming Options: Universal dimming optional

Lumen Package /Fixture
- 500mm = 27W 2500 Lm (3 Light)
- 600mm = 27W 2500 Lm (3 Light)
- 700mm = 27W 2500 Lm (3 Light)
- 800mm = 36W 3400 Lm (4 Light)
- 900mm = 36W 3400 Lm (4 Light)

Mounting:
- Wire suspended BTC (back to canopy)
- Wire suspended DTC (direct to ceiling)
- Rod Suspended
- Surface Mounted



Carton

CARTON Custom LED Luminaire

The Carton Pendant is a bespoke Australian Made light fitting. Every feature of this pendant can be customised including the size, lining, output and suspension length.

Dimensions:	800 W x 300 D x 300mm H 1000 W x 350 D x 350mm H 1500 W x 400 D x 350mm H 1800 W x 400 D x 400mm H 2000 W x 450 D x 500mm H
Materials:	Steel, fabric, acrylic
Finish Options:	Contessa designer fabric range Customer specified Customer supplied
Diffuser:	Opal acrylic - matt or gloss
Voltage:	240V - 50Hz
CRI:	>80
IP Rating:	IP20
Light Source:	LED Bar Light
CCT:	3000K, 4000K, 5000K
Beam Angle:	270°
Ambient temp:	0°C ... 45°C
Dimming Options:	Universal dimming optional
Lumen Package /Fixture	- 800mm = 27W 2500 Lm (3 Light) - 1000mm = 27W 2500 Lm (3 Light) - 1500mm = 36W 3400 Lm (4 Light) - 1800mm = 36W 3400 Lm (4 Light) - 2000mm = 45W 4250 Lm (5 Light)
Mounting:	- Wire suspended DTC (direct to ceiling) - Rod Suspended - Surface Mounted

W

D

SQUARE CORNER

ROUND CORNER

BESPOKE

Astris

AUSTRALIAN MADE

ASTRIS Custom LED Luminaire

The Astris Pendant is a bespoke Australian Made light fitting. Every feature of this pendant can be customised including the size, lining, output and suspension length.

Dimensions:	1000 x 450mm H (6 Shades)
Materials:	Steel, fabric, acrylic
Finish Options:	Contessa designer fabric range Customer specified Customer supplied
Diffuser:	Not applicable

Voltage:	240V - 50Hz
CRI:	>80
IP Rating:	IP20
Light Source:	LED globes
CCT:	3000K, 4000K, 5000K
Beam Angle:	270°
Ambient temp:	0°C ... 45°C
Dimming Options:	Universal dimming optional
Lumen Package: /Fixture	- 1000mm = 54W 5100 Lm

Mounting:

- Wire suspended BTC (back to canopy)
- Wire suspended DTC (direct to ceiling)
- Surface Mounted

Contessa Lighting
SUPERIOR LIGHTING SOLUTIONS

BESPOKE

Trix

AUSTRALIAN MADE

TRIX Custom LED Luminaire

The Trix Pendant is a bespoke Australian Made light fitting. Every feature of this pendant can be customised including the size, lining, output and suspension length.

Dimensions:	500 x 500 x 250mm H 700 x 700 x 250mm H 900 x 900 x 300mm H
Materials:	Steel, fabric, acrylic
Finish Options:	Contessa designer fabric range Customer specified Customer supplied
Diffuser:	Opal acrylic - matt or gloss
Voltage:	240V - 50Hz
CRI:	>80
IP Rating:	IP20
Light Source:	LED lamp hub
CCT:	3000K, 4000K, 5000K
Beam Angle:	360°
Ambient temp:	0°C … 45°C
Dimming Options:	Universal dimming optional
Lumen Package: /Fixture	- 500mm = 27W 2500 Lm - 700mm = 27W 2500 Lm - 900mm = 30W 2900 Lm

Mounting:

- Wire suspended BTC (back to canopy)
- Wire suspended DTC (direct to ceiling)
- Rod Suspended
- Surface Mounted

Fabric Wall Lights

BESPOKE SQUARE SET Custom LED Wall Light

DIMENSIONS (WxDxH)	LIGHT SOURCE	WATTAGE	LUMEN OUTPUT	COLOUR TEMPERATURE
200 x 125 x 300mm H	1 Lamp	10 W	850 Lumens	3000K, 4000K, 5000K
Custom dimensions	*Optional LED panel*	*Custom wattage*	*Custom output*	



BESPOKE ROUNDED SQUARE SET Custom LED Wall Light

DIMENSIONS (WxDxH)	LIGHT SOURCE	WATTAGE	LUMEN OUTPUT	COLOUR TEMPERATURE
250 x 125 x 300mm H	1 Lamp	10 W	850 Lumens	3000K, 4000K, 5000K
Custom dimensions	*Optional LED panel*	*Custom wattage*	*Custom output*	



BESPOKE HOOP SET Custom LED Wall Light

DIMENSIONS (WxDxH)	LIGHT SOURCE	WATTAGE	LUMEN OUTPUT	COLOUR TEMPERATURE
200 x 100 x 250mm H	1 Lamp	10 W	850 Lumens	
250 x 125 x 300mm H	1 Lamp	10 W	850 Lumens	3000K, 4000K, 5000K
Custom dimensions	*Optional LED panel*	*Custom wattage*	*Custom output*	



BESPOKE ELLIPTIC SET Custom LED Wall Light

DIMENSIONS (WxDxH)	LIGHT SOURCE	WATTAGE	LUMEN OUTPUT	COLOUR TEMPERATURE
280 x 110 x 280mm H	1 Lamp	10 W	850 Lumens	3000K, 4000K, 5000K
Custom dimensions	*Optional LED panel*	*Custom wattage*	*Custom output*	



Physical Characteristics

Material: Steel frame, plastic, fabric

Finish Options: Contessa designer fabric range
Customer specified
Customer supplied

Diffuser: Optional top and base matt opal acrylic

Electrical Configuration

Voltage: 240V - 50Hz
CRI: >80
IP rating: IP20
LED type options: E27 LED Lamps or LED Panel
Beam angle: LED Lamps 270° or LED panel 120°
Ambient temp: -20° ….+50°
Dimmable: Optional.
- Trailing or leading edge
- DALI *(LED panel only)*
- DSI *(LED panel only)*
- SwitchDIM *(LED panel only)*

ELLIPTIC SET

HOOP SET

ROUNDED SQUARE SET

SQUARE SET

ELLIPTIC SET

Contessa Lighting
SUPERIOR LIGHTING SOLUTIONS

COPYRIGHT © 2018

No part of this catalogue may be reproduced without prior permission from Contessa Lighting.
Models and technical specifications are subject to change.

CONTESSALIGHTING.COM.AU

SALES@CONTESSALIGHTING.COM.AU

TEL: 1300 887 948